S 1920-2

Summary of Wyoming Vital Statistics 1983

Wyoming Division of Health and Medical Services

Vital Records Services

April, 1985

CONTENTS

	Page
Introduction	1
Definitions	3
Natality	5
Mortality	10
Marriage and Divorce	19

TABLES

Table		Page
1	Population by County, 1980-1983	23
2	Births, Deaths, Infant Deaths, Stillbirths, and Maternal Deaths, 1922-1983	24
3	Births and Rates by County of Residence, 1979-1983	25
4	Births by Sex, Race, and County of Residence, 1983	26
5	Births by Age of Mother, Race, and County of Residence, 1983	27
6	Births to Unmarried Mothers by Age of Mother, Race, and County of Residence, 1983	28
7	Low Weight Births with Percentages by County of Residence, 1979-1983	29
8	Births by Weight at Birth by County of Residence, 1983	30
9	Births by Live Birth Order by County of Residence, 1983	31
10	Births by Age of Mother by Live Birth Order, 1983	32
11	Births by Age of Mother by Trimester Prenatal Care Began, 1983	32
12	Births by Trimester Prenatal Care Began by County of Residence, 1983	33
13	Births by County of Occurrence, Attendant, and Place of Delivery, 1983	34
14	Birth Travel Patterns, 1983	35
15	Deaths and Rates by County of Residence, 1979-1983	36

16 Deaths by Sex, Race, Age, and County of Residence, 1983 37
17 Deaths by Selected Cause and County of Residence, 1983 38
18 Leading Cause of Death by Age Group, 1983 39
19 Resident Deaths by Selected Cause and Age, 1983 40
20 Male Resident Deaths by Selected Cause and Age, 1983 41
21 Female Resident Deaths by Selected Cause and Age, 1983 42
22 Accidental Deaths Occurring in Wyoming by Age and Sex, 1983 43
23 Infant Deaths by Age and County of Residence, 1983 44
24 Infant and Neonatal Deaths with Five-Year Rates by County of Residence, 1979-1983 45
25 Resident Infant Deaths by Selected Cause and Age at Death, 1983 46
26 Stillbirths by County of Residence, 1979-1983 .. 47
27 Births and Deaths by County of Occurrence, 1979-1983 48
28 Marriages and Rates by County of Occurrence, 1979-1983 49
29 Marriages by Month and County of Occurrence, 1983 50
30 Marriages by Age of Groom and Age of Bride, 1983 51
31 Marriages by Age and Previous Marital Status of Bride and Groom, 1983 52
32 Divorces and Annulments with Rates by County of Occurrence, 1979-1983 53
33 Divorces and Annulments by Duration of Marriage and County of Occurrence, 1983 54
34 Divorces and Annulments by Number of Children Affected and County of Occurrence, 1983 55

INTRODUCTION

Data in this report have been tabulated from birth, death, stillbirth, marriage, divorce and annulment records filed with Vital Records Services, and from transcripts of records from other states involving the death of a Wyoming resident or a birth to a mother who was a Wyoming resident. Although events are registered in the state in which they take place, the exchange of records between states allows the compilation of birth, death and stillbirth statistics by state and county of residence. Most of the birth and death information included here is by place of residence. Headings of individual tables specify resident or occurrence data. Marriage and divorce data are limited to Wyoming occurrences.

Tables include all events for which records were received in this office by April 15 of the year following the event. The number of events not included is small, and counts can be considered relatively complete.

Caution should be used in the interpretation of vital statistics rates which are based on a small population, or a small number of events. This is especially important when dealing with county rates. One or two events can make a substantial difference in these rates, causing them to vary considerably from year to year.

National rates quoted in this report were taken from the "National Center for Health Statistics Monthly Vital Statistics Reports". National natality data for 1982 and mortality data for 1981 and 1982 are provisional.

Population estimates used in this report for 1981, 1982 and 1983 were developed by the Division of Research

and Statistics, Department of Administration and Fiscal Control, State of Wyoming.[1] Estimates are revised annually and those for 1981 and 1982 differ from the estimates used in our previous reports. Thus, population based rates for these years may differ from those previously published.

It should be noted that Wyoming's population is in general younger than that of the nation as a whole. Also there is a wide variation in the age of the population from county to county within the state. These differences in age structure must be taken into account when comparing crude vital statistics rates. Younger populations will tend to have higher crude birth rates and lower crude death rates than older ones. It is often necessary to compare age-specific or age-adjusted rates in order to eliminate this effect.

This report does not include all available tabulations. Additional data will be furnished upon request to Vital Records Services, Hathaway Building, Cheyenne, WY 82002.

[1]Wyoming Population and Employment Forecast Report, 7th Edition.

DEFINITIONS

RESIDENCE DATA - data compiled on the basis of the place of residence of the decedent (deaths), or the place of residence of the child's mother (births, stillbirths).

OCCURRENCE DATA - data compiled on the basis of where the event actually occurred, regardless of the person's place of residence.

LIVE BIRTH - a birth that shows any sign of life after delivery.

LOW BIRTHWEIGHT - less than 2500 grams or 5 lbs. 8 ozs.

INFANT DEATH - death of a live born infant under one year of age.

NEONATAL DEATH - death of a live born infant under 28 days old.

MATERNAL DEATH - death of a mother caused by complications of pregnancy, childbirth or the puerperium.

STILLBIRTH (FETAL DEATH) - death taking place after 20 weeks gestation and before birth.

(CRUDE) BIRTH RATE - number of live births per 1,000 population.

$$\frac{\text{live births}}{\text{total population}} \times 1{,}000$$

OUT-OF-WEDLOCK RATIO - number of live births to unmarried women per 1,000 live births.

$$\frac{\text{live births to unmarried women}}{\text{live births}} \times 1{,}000$$

(CRUDE) DEATH RATE - number of deaths per 1,000 population.

$$\frac{\text{deaths}}{\text{total population}} \times 1{,}000$$

CAUSE-SPECIFIC DEATH RATE - number of deaths from a specific cause per 100,000 population.

$$\frac{\text{deaths from cause}}{\text{total population}} \times 100{,}000$$

INFANT MORTALITY RATE - number of infant deaths per 1,000 live births.

$$\frac{\text{infant deaths}}{\text{live births}} \times 1{,}000$$

NEONATAL MORTALITY RATE - number of neonatal deaths per 1,000 live births.

$$\frac{\text{neonatal deaths}}{\text{live births}} \times 1{,}000$$

MATERNAL MORTALITY RATE - number of maternal deaths per 10,000 live births.

$$\frac{\text{maternal deaths}}{\text{live births}} \times 10{,}000$$

STILLBIRTH RATIO - number of stillbirths per 1,000 live births.

$$\frac{\text{stillbirths}}{\text{live births}} \times 1{,}000$$

MARRIAGE RATE - number of marriages per 1,000 population.

$$\frac{\text{marriages}}{\text{total population}} \times 1{,}000$$

DIVORCE AND ANNULMENT RATE - number of divorces and annulments per 1,000 population.

$$\frac{\text{divorces \& annulments}}{\text{total population}} \times 1{,}000$$

Live Birth Rates
Wyoming and United States
1960-1983



Number and Percentage of Births
by Age of Mother, Wyoming 1980-1983*

Age of Mother	1980		1981		1982		1983	
	No.	%	No.	%	No.	%	No.	%
Total	10,546	100.0	10,830	100.0	11,053	100.0	10,754	100.0
-15	15	0.1	3	0.0	15	0.1	14	0.1
15-17	522	4.9	465	4.3	420	3.8	366	3.4
18-19	1,096	10.4	1,133	10.5	1,085	9.8	995	9.2
20-24	4,147	39.3	4,200	38.7	4,198	38.0	3,707	36.0
25-29	3,142	29.8	3,319	30.6	3,433	31.1	3,390	31.5
30-34	1,269	12.0	1,371	12.6	1,486	13.4	1,501	14.0
35-39	293	2.8	309	2.9	353	3.2	374	3.5
40-44	59	0.6	37	0.3	48	0.4	64	0.6
45+	3	0.0	2	0.0	4	0.0	3	0.0

*Totals include births for which age of mother was not stated.

NATALITY

The number of births to Wyoming residents decreased by 7.2% in 1983. There were 10,254 births to Wyoming residents, 799 less than in 1982. The crude birth rate also registered a substantial decrease of 6.2%, since the estimated 1983 state population dropped by less than one percent. The crude rate for 1983 was 21.3 births per 1,000 population compared with 22.7 in 1982.

The state rate, which increased by over 33% between 1973 and 1980, was still well above the rate for the nation as a whole. The provisional U.S. rate was 15.5, a decrease of 2.5% from the rate for 1982.

Age of Mother

The percentage distribution of resident births by age of mother once again showed decreases in the 15-17, 18-19 and 20-24 age groups, and increases in the 25-29, 30-34, 35-39 and 40-44 age groups. The median age of mothers increased from 24.8 in 1982 to 25.2. Births to teenagers made up 12.4% of the state's births, down from 13.8% in 1982. Births to mothers 30 and over accounted for 18.9%, as opposed to 17.1% in 1982. The decreasing proportion of births to younger mothers is due in part to a smaller proportion of females under 25 in the state population.

Live Birth Order

Of the 10,254 Wyoming resident births, 4,144 (40.4%) were first births, 3,338 (32.6%) were second births, 1,624 (15.8%) were third and 1,142 (11.1%)were fourth and higher orders. Percentages by birth order were nearly identical to those of 1982.

The following table contains percentage distributions of live birth order within age categories for 1973, 1978 and 1983. The rising proportion of first order births and declining proportion of fourth and higher orders among mothers between 25 and 40 is indicative of a trend toward smaller families starting later in life.

Percentage of Wyoming Resident Live Births
by Live Birth Order by Age of Mother
1973, 1978, 1983

Age of Mother	Live Birth Order 1st	2nd	3rd	4th & Over
15-19				
1973	85.8	13.2	0.8	0.2
1978	77.2	19.2	3.3	0.4
1983	79.1	17.9	2.8	0.2
20-24				
1973	47.7	39.0	9.8	3.4
1978	46.6	36.1	13.7	3.6
1983	46.6	37.2	12.6	3.5
25-29				
1973	24.2	36.0	22.9	16.9
1978	27.5	33.5	23.8	15.2
1983	30.9	35.6	21.2	12.3
30-34				
1973	10.7	21.3	22.8	45.2
1978	16.8	25.1	25.4	32.7
1983	21.6	30.3	22.3	25.8
35-39				
1973	3.3	12.6	15.8	67.8
1978	9.1	14.3	19.0	57.5
1983	13.9	23.1	20.1	42.9
40-44				
1973	-	10.2	16.3	73.5
1978	6.3	8.3	12.5	72.9
1983	1.6	11.1	12.7	74.6

Births to Unmarried Mothers

There were 1,053 resident births to unmarried mothers in 1983, a 3.5% increase over 1982. Due to a decrease in the total number of births, the ratio of births to unmarried mothers per 1,000 total births rose 11.6%. The ratio for 1983 was 102.7 compared to 92.0 in 1982. Ratios calculated by age of mother increased in all age categories.

Low Birthweight

Both the number and percentage of low birthweight infants (under 5 lb 8 oz or 2500 grams) decreased in 1983. There were 721 low weight births down from 790 in 1982. The percentage of low birthweight declined only slightly from 7.1% to 7.0%.

Birthweight has been found to vary by race with black infants over twice as likely to be low birthweight. In comparing Wyoming figures to those of the U.S. as a whole, it is revealing to look at the percentages by race. For 1982, the latest year for which national data is available, the percentage of low birthweight for the U.S. as a whole was 6.8 as opposed to 7.1 for Wyoming. However, the differences are much greater when the percentages are calculated by race:

1982 Low Birthweight Percentages

	Total	White	Black	American Indian
U.S.	6.8	5.6	12.4	6.2
WY	7.1	7.1	15.7	6.6

Wyoming's 1982 percentage of low birthweight for white infants was third highest in the nation. New Mexico (7.9) had the highest, followed by Colorado (7.4).

Table 7 presents low birthweight percentages by county of residence for the five year period from 1979 to 1983. Counties with the highest incidence of low birthweight were Carbon (9.4), Albany (8.4), Hot Springs (8.0), and Laramie (8.0). Carbon was the only county which was above the state percentage in all five years. Washakie (4.4), Johnson (4.5), Sheridan (5.2) and Teton (5.4) counties had the lowest percentages. Washakie, Johnson and Sheridan were under the state percentage in all five years.

Prenatal Care

The time at which mothers began prenatal care and the proportion not receiving care did not change substantially in 1983. The proportion of mothers receiving early care

(within the first trimester) was 78.7%. The proportion beginning care in the second and third trimesters was 17.5% and 2.7%, respectively. No prenatal care was obtained in 1.1% of the births. National data for 1982, the latest year available, indicates that 76.0% began prenatal care in the first trimester, 18.5% in the second, 4.0% in the third and 1.6% received no care.

Age, marital status, and education all influence the time at which a woman will begin prenatal care. In 1983 women received early care in 81.4% of the births to mothers 20 years old and over, but in only 59.8% of the births to teenagers. Early prenatal care was obtained in 81.9% of the births to married mothers as compared to 50.8% of the births to unmarried mothers. Percentages receiving early care by education of mother ranged from 54.0 for those with less than 9 years of education to 89.3 for those who had completed college.

Place of Birth

An increasing number of births occurring in Wyoming take place outside the hospital. In 1983, 136 of the 9,501 occurrence births were not delivered in hospitals. The percentage of out of hospital births increased from 1.0% in 1982 to 1.4% in 1983. Nationally, 1.0% occurred out of hospital in 1982, the latest year for which data is available.

Residence and Occurrence

Of the 10,254 births to Wyoming residents in 1983, 963 or 9.4% took place in other states. This percentage decreased slightly from the record high of 1982. The largest number of these births took place in Utah (519), followed by Colorado (140), South Dakota (107), and Nebraska (93).

The number of births to residents of other states that took place in Wyoming was 210 or 2.2% of the 9,501 births occurring in the state.

For detailed data on travel between counties as well as to other states to give birth, see Table 14.

MORTALITY

The number of deaths to state residents decreased slightly from 3,183 in 1982 to 3,155 in 1983. Wyoming's crude death rate remained at 6.5 deaths per 1,000 population for the third consecutive year. Beginning in 1971 when the death rate was 9.0, state rates exhibited a decreasing trend reaching 6.5 in 1981.

Nationally, the provisional rate was 8.6. The major portion of the difference between the state and national rates can be accounted for by the fact that Wyoming's population is younger than that of the U.S. as a whole. Comparing rates that have been adjusted for the age of the population, reveals that Wyoming's rate is only slightly below the national.

Numbers of resident deaths decreased for all age groups between 5 and 64 as well as for the under one and 85 and over groups. Numbers increased in the 1-4, 65-74 and 75-84 age categories. Male deaths outnumbered female deaths in every age category except the 85 and over group. The median age at death was 69.1 for males and 76.1 for females. Both were above the median ages for 1982 of 67.9 for males and 75.4 for females.

Leading Causes

The twelve leading causes of death for Wyoming residents in 1983 are listed below. The first seven leading causes have remained the same since the revision of the classification system in 1979, with the exception of the sixth and seventh causes which were reversed in 1981. The rankings of the remaining causes tend to vary each year because of the small number of deaths involved. Homicide was not among the leading causes in 1983 as it was for the prior two years. It was replaced by nephritis and nephrosis.

Leading Causes of Death
Wyoming Residents, 1983*

Rank	Cause of Death	Number	Rate	U.S. Rate
	All Causes	3,155	654.2	858.9
1	Heart Disease	1,002	207.8	327.6
2	Malignant Neoplasms	586	121.5	188.3
3	Accidents	267	55.4	39.0
	Motor Vehicle Accidents	157	32.6	18.7
	All Other Accidents	110	22.8	20.3
4	Cerebrovascular Disease	190	39.4	66.8
5	Chronic Obstructive Pulmonary Disease	162	33.6	28.4
6	Pneumonia and Influenza	122	25.3	22.9
7	Suicide	105	21.8	12.4
8	Diabetes Mellitus	49	10.2	15.2
9	Arteriosclerosis	44	9.1	11.1
10	Certain Conditions of the Perinatal Period	36	7.5	8.1
11	Nephritis and Nephrosis	35	7.3	7.9
12	Chronic Liver Disease and Cirrhosis	31	6.4	11.9
12	Congenital Anomalies	31	6.4	5.5
	All Other Causes	495	102.6	113.8

*Rates are per 100,000 population

Death rates for three of the first seven causes decreased in 1983. The rate for accidents decreased by 16.4%, the rate for cerebrovascular disease by 9.8% and for heart disease by 3.3%. The rate for pneumonia and influenza recorded the largest increase of 17.1%. Also increasing were the rates for chronic obstructive pulmonary disease, 14.3%, suicide, 11.8%, and malignant neoplasms, 2.0%.

For the U.S. as a whole, cerebrovascular disease is the third leading cause of death and accidents are fourth. Diabetes ranks seventh nationally, ahead of suicide. Of

the top seven leading causes in Wyoming, rates for heart disease, malignant neoplasms, and cerebrovascular disease were below national rates, while rates for the remaining causes were higher.

Looking at leading causes by sex, heart disease and malignant neoplasms rank first and second for both males and females. However, for males accidents rank third, chronic obstructive pulmonary disease, fourth, cerebrovascular disease, fifth, and suicide sixth. For females cerebrovascular disease was third, accidents, fourth, chronic obstructive pulmonary disease, fifth, and pneumonia and influenza, sixth.

Table 18 presents leading causes for various age groups. Accidents are the leading cause of death in all age groups between one and 44 years. In the 45-54 age group, malignant neoplasms replace accidents as the leading cause. Heart disease is the leading cause for all age groups over 54 years.

Suicide and Accidental Death Rates
Wyoming and U.S., 1970-1983



Accidental Deaths by Type
Wyoming Residents, 1979-1983

	1979	1980	1981	1982	1983
Transport	223	213	270	218	181
Railway	3	5	-	4	3
Motor Vehicle	206	200	242	193	157
Water	2	3	1	4	5
Air	10	4	25	14	14
Other	2	1	2	3	2
Poisoning	15	18	9	16	10
Falls	34	25	41	30	19
Fire & Flames	11	5	10	5	9
Drowning	11	13	13	10	11
Firearms	7	4	3	8	6
Other	51	58	49	36	31
Total	352	336	395	323	267

Violent Deaths

Violent deaths include accidents, suicides, homicides and those which are due to injuries undetermined whether accidently or purposely inflicted. These causes account for a large percentage of deaths to younger people and become increasingly important when the number of years of productive life lost are considered.

The number of accidental deaths to Wyoming residents dropped again in 1983. There were 267 accidental deaths, down from 323 in 1982 and 395 in 1981. The accompanying graph depicts Wyoming and U.S. accidental death rates from 1970 through 1983. Both Wyoming and U.S. rates decreased over this time period. However, substantial decreases in Wyoming's rate in 1982 and 1983 have brought it closer to the U.S. rate than it has been in recent years. Wyoming's rate in 1983 was 55.4 accidental deaths per 100,000 population, 42.1% above the national rate of 39.0. The state rate in 1981 was 83.8% above the national.

The vast majority of the accidental deaths were due to motor vehicle accidents. There were 157 motor vehicle accidental deaths in 1983 compared to 193 in 1982. The second most frequent cause was falls (19), followed by air transport (14), drowning (11), and poisoning (10). Over half of the accidental deaths were to people between 15 and 34 years old and 76.8% were male.

There were 105 Wyoming resident suicides in 1983, 10 more than in 1982. The suicide rate increased by 11.8% to 21.8 suicides per 100,000 population. This was the third consecutive year Wyoming's rate increased, bringing it to 75.8% above the rate for the nation as a whole. The latest year for which national data by state of residence is available is 1982. For that year Wyoming's rate (19.5) was the third highest in the nation. Nevada (29.0) had the highest rate and New Mexico (19.8) was second.

Between 1980 and 1983, numbers of resident suicides increased in every age group between 15 and 64 years and in the 75 to 84 year age group. Percentage increases were the largest in the 55 to 64 and 15 to 24 age groups. Male suicides outnumbered female by over three to one. However, the number of female suicides, which had decreased slightly in the preceding four years, increased dramatically in 1983.

Suicide by Age and Sex
Wyoming Residents, 1979-1983

	Total	Age at Death 5-14	15-24	25-34	35-44	45-54	55-64	65-74	75+
1979									
Total	79	-	17	22	14	12	5	6	3
Male	62	-	14	17	11	8	4	5	3
Female	17	-	3	5	3	4	1	1	-
1980									
Total	74	1	17	14	12	9	9	8	4
Male	57	1	14	10	7	6	8	7	4
Female	17	-	3	4	5	3	1	1	-
1981									
Total	84	1	16	13	16	10	13	10	5
Male	70	1	12	10	14	9	10	9	5
Female	14	-	4	3	2	1	3	1	-
1982									
Total	95	1	21	21	21	10	11	7	3
Male	81	-	19	18	17	7	10	7	3
Female	14	1	2	3	4	3	1	-	-
1983									
Total	105	-	27	19	15	13	17	7	7
Male	79	-	21	13	10	8	15	5	7
Female	26	-	6	6	5	5	2	2	-

Homicides accounted for 30 resident deaths in 1983, giving a state rate of 6.2 homicides per 100,000 population. The 1983 provisional rate for the U.S. was 8.2. In addition to the deaths designated as due to accidents, suicide and homicides, there were 19 deaths due to injuries which were undetermined whether accidentally or purposely inflicted.

Infant and Neonatal Mortality Rates
Wyoming and United States
1973-1983



Year	Neonatal*		Post Neonatal*		Infant*	
	WY	U.S.	WY	U.S.	WY	U.S.
1973	14.5	13.0	4.1	4.8	18.6	17.7
1974	11.3	12.3	4.9	4.4	16.2	16.7
1975	12.8	11.6	4.5	4.5	17.3	16.1
1976	10.7	10.9	5.7	4.3	16.4	15.2
1977	8.6	9.9	5.3	4.2	13.9	14.1
1978	8.1	9.5	5.0	4.3	13.1	13.8
1979	8.4	8.9	4.8	4.2	13.2	13.1
1980	6.4	8.5	3.4	4.1	9.9	12.6
1981	7.0	8.0	4.2	3.9	11.2	11.9
1982	5.9	7.7	4.0	3.8	9.9	11.5
1983	5.1	7.3	4.8	3.6	9.8	10.9

*Rates per 1,000 live births

Infant Mortality

The number of Wyoming resident infant deaths (under 1 year) continued to decrease in 1983. There were 101 infant deaths compared to 109 in 1982. The infant mortality rate was 9.8 infant deaths per 1,000 live births, the lowest ever recorded for the state.

Of the 101 infant deaths, 52 were neonatal deaths (under 28 days). The neonatal mortality rate was 5.1 neonatal deaths per 1,000 live births. This was a substantial decrease from the 1982 rate of 5.9 and was 30.1% lower than the U.S. provisional rate of 7.3.

Leading Causes of Infant Death
Wyoming Residents 1981-1983, U.S. 1982

Rank		WY 1981-1983 Number	WY 1981-1983 Rate*	U.S. 1982 Rate*
	All Causes	331	103.0	115.2
1	Congenital Anomalies	74	23.0	24.5
2	Sudden Infant Death Syndrome	67	20.8	14.3
3	Disorders Relating to Short Gestation and Unspecified Low Birthweight	32	10.0	9.8
4	Respiratory Distress Syndrome	28	8.7	11.0
5	Newborn Affected by Maternal Complications of Pregnancy	11	3.4	4.1
6	Accidents	9	2.8	2.8
6	Intrauterine Hypoxia and Birth Asphyxia	9	2.8	4.1
7	Pneumonia and Influenza	6	1.9	2.1
8	Meningitis	5	1.6	.9
9	Birth Trauma	4	1.2	1.7
9	Neonatal Hemorrhage	4	1.2	1.9
	All Other Causes	82	25.5	38.0

*Per 10,000 live births

Wyoming's post-neonatal (28 days to 1 year) mortality rate increased from 4.0 to 4.8 post-neonatal deaths per 1,000 live births in 1983. This rate was considerably above the corresponding U.S. rate of 3.6. From 1974 to 1983 Wyoming's post-neonatal mortality rate exceeded the national in all but two years.

The accompanying table compares Wyoming infant mortality rates by cause for 1981 through 1983 to U.S. rates for 1982. Wyoming rates were lower than U.S. rates for all causes listed except sudden infant death syndrome, disorders relating to short gestation and unspecified low birthweight, accidents, and meningitis. The state rate for sudden infant death syndrome was 45.5% higher than the national rate, which helps explain Wyoming's high post-neonatal mortality rate.

Stillbirths

In 1983 there were 72 stillbirths of 20 or more completed weeks gestation to state residents. The ratio of stillbirths per 1,000 live births dropped to 7.0 from 8.3 in 1982. The most recent national data available is for 1981 when the U.S. ratio was 9.0.

Maternal Deaths

There were no Wyoming resident maternal deaths in 1983. Nationally there were an estimated 290 maternal deaths giving a maternal mortality rate of .8 per 10,000 live births.



MARRIAGE AND DIVORCE

The number of marriages taking place in Wyoming decreased by 598 in 1983, to 6,201. The marriage rate also decreased from 14.0 marriages per 1,000 population in 1982 to 12.9 in 1983. the provisional 1983 U.S. rate was 10.5.

Of those for whom previous marital status was known, 54.9% of the brides and 57.3% of the grooms were entering their first marriages. The median age at first marriage was 21.2 for brides, and 23.7 for grooms. Median ages at remarriage were 31.3 for brides and 34.5 for grooms. In each instance the median age was up slightly from 1982.

There were 3,978 divorces and annulments granted in Wyoming in 1983. The divorce rate was 8.2 divorces and

annulments per 1,000 population. This was a slight increase from the previous year, but was still under the 1981 record high of 8.5. Provisional 1983 data by state indicate that Wyoming's divorce rate was the third highest in the nation.

The median duration of marriages ending in divorce was 4.9 years. The total number of children under 18 who were involved in divorce was 3,903. No children were involved in 42.9% of the divorces, one or two were involved in 48.1% and three or more in 9.1%.

TABLES

Table 1

Population by County
Wyoming 1980 - 1983*

Residence	1980	1981	1982	1983
Wyoming	469,557	489,400	486,930	482,264
Albany	29,062	29,250	29,281	29,729
Big Horn	11,896	12,029	12,353	12,362
Campbell	24,367	30,722	30,920	30,845
Carbon	21,896	21,425	20,435	18,899
Converse	14,069	13,977	13,334	12,329
Crook	5,308	5,461	5,723	5,806
Fremont	38,992	39,052	38,883	36,440
Goshen	12,040	12,124	12,215	12,310
Hot Springs	5,710	5,677	5,704	5,832
Johnson	6,700	6,748	6,795	6,968
Laramie	68,649	69,251	69,870	71,379
Lincoln	12,177	12,930	13,246	13,562
Natrona	71,856	75,952	73,650	71,393
Niobrara	2,924	3,014	3,036	3,050
Park	21,639	22,127	22,344	22,566
Platte	11,975	11,024	10,200	9,843
Sheridan	25,048	25,253	24,992	25,335
Sublette	4,548	4,627	4,760	4,838
Sweetwater	41,723	45,017	43,957	41,056
Teton	9,355	9,520	9,710	9,987
Uinta	13,021	16,791	18,279	19,777
Washakie	9,496	9,638	9,704	10,173
Weston	7,106	7,780	7,525	7,774

*Census enumerations are used for 1980. Estimates for 1981-1983 were developed by the Wyoming Department of Administration and Fiscal Control, Division of Research and Statistics.

TABLE 1

Births, Deaths, Infant Deaths, Stillbirths, and Maternal Deaths
Wyoming, 1922-1983*

Year	Estimated Population**	Births		Deaths		Infant Deaths		Stillbirths		Maternal Deaths	
		Number	Rate	Number	Rate	Number	Rate	Number	Ratio	Number	Rate
1922	207,677	5,188	25.0	1,930	9.3	408	78.6	180	34.7	N/A	N/A
1923	211,846	4,950	23.4	2,180	10.3	394	79.6	165	33.3	36	72.7
1924	215,011	5,226	24.3	2,060	9.6	336	64.3	180	34.4	51	97.6
1925	215,991	4,843	22.4	1,956	8.8	309	63.9	146	30.2	46	95.2
1926	217,152	4,368	20.2	1,992	8.8	333	75.9	137	31.2	41	93.4
1927	216,949	4,472	20.4	1,976	9.0	308	68.9	131	29.3	39	87.2
1928	220,355	4,446	20.4	2,155	9.8	305	67.8	128	28.5	29	64.5
1929	223,427	4,474	19.8	2,010	9.0	311	70.3	100	22.6	28	63.3
1930	225,940	4,471	19.8	2,079	9.2	310	69.3	134	30.0	41	91.7
1931	227,783	4,506	19.8	2,035	8.9	301	66.8	117	26.0	38	84.4
1932	228,495	4,249	18.6	2,097	9.0	242	57.0	112	26.4	28	65.9
1933	226,863	4,207	18.4	1,946	8.6	230	54.7	84	20.0	24	57.0
1934	231,046	4,565	19.8	2,030	9.1	242	53.0	89	19.5	28	61.3
1935	233,890	4,362	18.6	2,284	9.5	222	51.1	86	19.7	18	41.2
1936	237,639	4,763	20.0	2,401	10.1	259	57.6	68	14.3	24	50.5
1937	241,674	4,520	18.7	2,440	10.1	251	55.6	96	21.2	17	37.5
1938	244,926	4,946	20.2	2,235	9.1	256	51.8	92	18.6	15	30.3
1939	247,824	4,897	19.8	2,207	8.9	223	45.5	86	17.6	17	34.7
1940	250,742	5,060	20.2	2,141	8.5	237	46.8	101	20.0	22	43.5
1941	247,000	5,185	21.0	2,205	8.9	227	43.8	111	21.4	12	23.1
1942	251,000	5,437	21.7	2,134	8.5	246	45.6	105	19.3	13	23.9
1943	242,000	5,688	23.0	2,027	8.0	213	37.4	117	20.6	9	15.8
1944	242,000	5,612	23.2	2,251	9.3	220	39.2	101	18.0	9	16.0
1945	239,000	5,339	22.3	2,206	9.2	217	40.6	91	17.0	7	13.1
1946	254,000	6,198	24.4	2,135	8.4	205	33.1	110	17.8	10	16.2
1947	250,000	7,320	28.4	2,349	9.1	249	34.0	144	19.7	6	8.2
1948	269,000	7,418	27.6	2,385	8.9	293	39.5	124	16.7	8	10.8
1949	277,000	7,490	27.0	2,395	8.6	280	37.4	124	16.6	3	4.0
1950	292,000	7,606	26.0	2,336	8.0	247	32.5	146	19.2	9	11.8
1951	293,000	8,048	27.5	2,346	8.0	233	29.0	122	15.2	6	7.5
1952	297,000	8,116	27.3	2,503	8.4	262	32.3	116	14.3	2	2.5
1953	295,000	8,760	29.7	2,349	8.0	245	27.7	131	15.0	3	3.4
1954	300,000	8,938	29.8	2,439	8.1	270	30.2	106	11.9	2	2.2
1955	315,000	8,610	27.3	2,453	7.8	242	28.1	108	12.5	4	4.6
1956	321,000	8,389	26.1	2,533	7.9	231	27.5	109	13.0	2	2.4
1957	323,000	8,270	25.6	2,598	8.0	217	26.2	127	15.4	1	1.2
1958	322,000	8,098	25.1	2,526	7.8	225	27.8	125	15.4	3	3.7
1959	325,000	8,189	25.2	2,622	8.1	221	27.0	118	14.4	2	2.4
1960	330,066	8,499	25.7	2,702	8.5	238	28.0	95	11.2	2	2.4
1961	336,000	8,560	25.5	2,635	7.8	230	26.9	111	13.0	1	1.2
1962	332,000	7,984	24.0	2,738	8.2	243	30.4	85	10.6	3	3.8
1963	335,000	7,494	22.4	2,817	8.4	217	29.0	97	12.9	2	2.7
1964	338,000	7,292	21.5	2,842	8.4	209	28.8	91	12.5	2	2.8
1965	330,000	6,534	19.8	2,802	8.5	146	22.3	86	13.2	1	1.5
1966	319,000	6,898	18.5	2,655	8.3	142	24.1	76	12.9	1	1.7
1967	322,000	5,540	17.2	2,763	8.6	130	23.5	83	15.0	4	7.2
1968	324,000	5,750	17.7	2,958	9.1	123	21.4	87	15.1	2	3.5
1969	329,000	6,033	18.3	2,934	8.9	165	27.3	97	16.1	-	-
1970	332,416	6,535	19.7	2,967	8.8	131	20.0	82	12.5	1	1.5
1971	339,284	6,156	18.1	3,048	9.0	152	24.7	72	11.7	-	-
1972	350,112	6,011	17.2	3,038	8.7	131	21.8	65	10.8	1	1.7
1973	358,318	6,089	16.9	3,066	8.6	113	18.6	57	9.4	2	3.3
1974	371,630	6,536	17.6	3,133	8.4	106	16.2	79	12.1	-	-
1975	383,644	6,938	18.1	3,072	8.0	120	17.3	75	10.8	2	2.9
1976	397,965	7,367	18.5	3,158	7.9	121	16.4	65	8.8	1	1.4
1977	427,130	8,276	19.4	3,017	7.1	115	13.9	74	8.9	4	4.8
1978	440,878	8,652	19.6	3,112	7.1	113	13.1	67	7.7	3	3.5
1979	454,949	9,768	21.5	3,063	6.7	129	13.2	65	6.7	-	-
1980	469,557	10,546	22.5	3,215	6.8	104	9.9	81	7.7	1	.9
1981	489,400	10,839	22.1	3,162	6.5	121	11.2	93	8.6	1	.9
1982	486,930	11,053	22.7	3,183	6.5	109	9.9	92	8.3	1	.9
1983	482,264	10,254	21.3	3,155	6.5	101	9.8	72	7.0	-	-

*Data for 1922-1945 is by place of occurrence, 1946-1983 is by place of residence. Birth and death rates are per 1,000 population. Infant death rates and stillbirth ratios are per 1,000 live births. Maternal death rates are per 10,000 live births.

**Census enumerations are used for years ending with a zero.

TABLE 3

Births and Rates
by County of Residence
Wyoming, 1979-1983

Residence	1979		1980		1981		1982		1983	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
U.S. Rates	--	15.6	--	15.9	--	15.8	--	15.9	--	15.5
Wyoming	9,768	21.5	10,546	22.5	10,839	22.1	11,053	22.7	10,254	21.3
Albany	480	17.0	467	16.1	543	18.6	478	16.3	526	17.7
Big Horn	249	21.5	259	21.8	267	22.2	272	22.0	233	18.8
Campbell	557	24.6	715	29.3	817	26.6	885	28.6	857	27.8
Carbon	488	23.7	549	25.1	534	24.9	490	24.0	416	22.0
Converse	320	23.1	346	24.6	344	24.6	345	25.9	286	23.2
Crook	122	23.7	115	21.7	134	24.5	136	23.8	134	23.1
Fremont	897	24.0	1,001	25.7	918	23.5	910	23.4	795	21.8
Goshen	205	17.2	220	18.3	214	17.7	219	17.9	206	16.7
Hot Springs	107	19.2	104	18.2	121	21.3	83	14.6	111	19.0
Johnson	126	19.6	123	18.4	127	18.8	132	19.4	114	16.4
Laramie	1,321	19.9	1,374	20.0	1,357	19.6	1,354	19.4	1,362	19.1
Lincoln	324	28.4	389	31.9	354	27.4	394	29.7	339	25.0
Natrona	1,484	21.6	1,560	21.7	1,655	21.8	1,699	23.1	1,533	21.5
Niobrara	40	13.8	50	17.1	56	18.6	64	21.1	52	17.0
Park	383	18.0	387	17.9	439	19.8	491	22.0	441	19.5
Platte	227	16.1	229	19.1	206	18.7	154	15.1	159	16.2
Sheridan	441	18.0	449	17.9	455	18.0	497	19.9	435	17.2
Sublette	95	21.4	76	16.7	90	19.5	96	20.2	74	15.3
Sweetwater	1,045	25.5	1,177	28.2	1,126	25.0	1,183	26.9	971	23.7
Teton	129	15.1	152	16.2	170	17.9	179	18.4	191	19.1
Uinta	337	27.8	425	32.6	505	30.1	616	33.7	638	32.3
Washakie	219	23.7	218	23.0	209	21.7	197	20.3	185	18.2
Weston	168	24.1	155	21.8	191	24.6	175	23.3	192	24.7
Yellowstone NP	4	--	6	--	7	--	4	--	4	--

TABLE 4

Births by Sex, Race,
and County of Residence
Wyoming, 1983

Residence	Total	Sex		Race				
		Male	Female	White	Black	Indian	Other	Unknown
Wyoming	10,254	5,296	4,958	9,737	108	318	77	14
Albany	526	269	257	498	10	7	10	1
Big Horn	233	108	125	227	-	6	-	-
Campbell	857	426	431	841	2	7	7	-
Carbon	416	224	192	401	2	9	4	-
Converse	286	141	145	280	-	6	-	-
Crook	134	65	69	132	-	1	1	-
Fremont	795	410	385	598	1	191	5	-
Goshen	206	118	88	203	-	3	-	-
Hot Springs	111	51	60	105	-	6	-	-
Johnson	114	58	56	110	-	3	1	-
Laramie	1,362	754	608	1,264	65	16	15	2
Lincoln	339	170	169	331	1	6	1	-
Natrona	1,533	794	739	1,499	15	7	12	-
Niobrara	52	20	32	50	-	1	1	-
Park	441	229	212	429	-	8	4	-
Platte	159	74	85	157	-	2	-	-
Sheridan	435	218	217	426	-	6	3	-
Sublette	74	36	38	69	-	-	-	5
Sweetwater	971	502	469	936	11	15	9	-
Teton	191	106	85	188	-	-	1	2
Uinta	638	333	305	622	-	11	1	4
Washakie	185	92	93	179	-	5	1	-
Weston	192	96	96	188	1	2	1	-
Yellowstone NP	4	2	2	4	-	-	-	-

TABLE 5

Births by Age of Mother, Race
and County of Residence
Wyoming, 1983

	Total	Age of Mother									
		<15	15-17	18-19	15-19	20-24	25-29	30-34	35-39	40-44	45+	Not Stated
Wyoming	10,254	14	366	895	1,261	3,707	3,329	1,501	374	64	3	1
Race												
White	9,737	11	335	837	1,172	3,513	3,201	1,421	359	57	3	-
Black	108	-	11	20	31	41	22	14	-	-	-	-
Indian	318	3	17	33	50	129	76	46	10	4	-	-
Other	77	-	1	5	6	18	27	20	4	2	-	-
Unknown	14	-	2	-	2	6	3	-	1	1	-	1
Residence												
Albany	526	-	15	27	42	178	179	100	23	4	-	-
Big Horn	233	-	7	13	20	89	77	36	5	6	-	-
Campbell	857	-	25	63	88	352	299	86	26	6	-	-
Carbon	416	-	14	45	59	153	124	65	14	1	-	-
Converse	286	-	11	30	41	130	82	23	8	1	1	-
Crook	134	1	4	10	14	47	44	20	5	3	-	-
Fremont	795	4	38	65	103	281	236	133	29	8	1	-
Goshen	206	-	12	21	33	86	57	21	8	1	-	-
Hot Springs	111	1	6	8	14	37	44	14	-	1	-	-
Johnson	114	-	4	7	11	44	33	23	3	-	-	-
Laramie	1,362	3	52	157	209	485	403	199	56	7	-	-
Lincoln	339	-	10	32	42	102	115	56	18	6	-	-
Natrona	1,533	2	52	131	183	507	527	250	60	4	-	-
Niobrara	52	-	3	8	11	15	18	6	1	1	-	-
Park	441	1	12	45	57	148	156	64	13	1	1	-
Platte	159	-	5	15	20	56	57	21	4	1	-	-
Sheridan	435	-	17	34	51	152	138	73	19	2	-	-
Sublette	74	-	2	3	5	28	29	11	1	-	-	-
Sweetwater	971	2	37	93	130	368	311	126	28	6	-	-
Teton	191	-	5	2	7	30	76	58	20	-	-	-
Uinta	638	-	21	56	77	261	203	73	20	3	-	1
Washakie	185	-	7	16	23	76	53	23	9	1	-	-
Weston	192	-	7	14	21	81	68	18	3	1	-	-
Yellowstone NP	4	-	-	-	-	1	-	2	1	-	-	-

TABLE 6

Births to Unmarried Mothers by Age of Mother,
Race, and County of Residence
Wyoming, 1983

	Total	Age of Mother										
		< 15	15-17	18-19	15-19	20-24	25-29	30-34	35-39	40-44	45+	Not Stated
Wyoming	1,053	12	167	244	411	392	150	67	15	6	-	-
Race												
White	923	9	148	218	366	341	135	53	14	5	-	-
Black	45	-	11	11	22	14	5	4	-	-	-	-
Indian	78	3	7	13	20	34	10	10	1	-	-	-
Other	4	-	-	2	2	2	-	-	-	-	-	-
Unknown	3	-	1	-	1	1	-	-	-	1	-	-
Residence												
Albany	41	-	9	10	19	16	4	2	-	-	-	-
Big Horn	15	-	5	3	8	5	2	-	-	-	-	-
Campbell	79	-	11	16	27	36	12	1	2	1	-	-
Carbon	50	-	6	7	13	23	10	4	-	-	-	-
Converse	28	-	2	8	10	13	4	-	1	-	-	-
Crook	6	1	1	1	2	1	1	1	-	-	-	-
Fremont	110	4	18	18	36	42	15	11	2	-	-	-
Goshen	37	-	6	6	12	16	7	1	-	1	-	-
Hot Springs	12	1	1	2	3	4	3	1	-	-	-	-
Johnson	12	-	3	1	4	6	1	1	-	-	-	-
Laramie	197	2	30	56	86	76	18	10	3	2	-	-
Lincoln	13	-	1	6	7	3	2	1	-	-	-	-
Natrona	172	1	27	46	73	54	29	11	3	1	-	-
Niobrara	5	-	2	1	3	2	-	-	-	-	-	-
Park	30	1	3	10	13	12	1	3	-	-	-	-
Platte	14	-	-	3	3	8	2	1	-	-	-	-
Sheridan	56	-	12	13	25	16	9	6	-	-	-	-
Sublette	4	-	-	1	1	3	-	-	-	-	-	-
Sweetwater	92	2	14	17	31	34	18	5	2	-	-	-
Teton	13	-	2	2	4	4	2	3	-	-	-	-
Uinta	31	-	7	8	15	6	7	1	2	-	-	-
Washakie	19	-	4	5	9	7	-	3	-	-	-	-
Weston	17	-	3	4	7	5	3	1	-	1	-	-
Yellowstone NP	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 7

Low Weight Births
by County of Residence
Wyoming, 1979-1983*

Residence	1979		1980		1981		1982		1983		1979-1983
	No.	Percent	No.	Percent	No.	Percent	No.	Percent	No.	Percent	Percent
U.S. Percent	--	6.9	--	6.8	--	6.8	--	6.8	--	N/A	--
Wyoming	740	7.6	778	7.4	716	6.6	790	7.1	721	7.0	7.1
Albany	45	9.4	46	9.9	35	6.4	47	9.8	37	7.0	8.4
Big Horn	18	7.2	15	5.8	18	6.7	17	6.3	13	5.6	6.3
Campbell	29	5.2	45	6.3	43	5.3	58	6.6	72	8.4	6.4
Carbon	51	10.5	56	10.2	54	10.1	39	8.0	33	7.9	9.4
Converse	14	4.4	20	5.8	23	6.7	20	5.8	19	6.6	5.9
Crook	9	7.4	3	2.6	7	5.2	7	5.1	10	7.5	5.6
Fremont	69	7.7	68	6.8	55	6.0	90	9.9	70	8.8	7.8
Goshen	19	9.3	17	7.7	19	8.9	20	9.1	7	3.4	7.7
Hot Springs	9	8.4	8	7.7	7	5.8	9	10.8	9	8.1	8.0
Johnson	6	4.8	8	6.5	3	2.4	7	5.3	4	3.5	4.5
Laramie	124	9.4	120	8.7	107	7.9	104	7.7	88	6.5	8.0
Lincoln	27	8.3	18	4.6	20	5.6	26	6.6	19	5.6	6.1
Natrona	115	7.7	117	7.5	110	6.6	122	7.2	102	6.7	7.1
Niobrara	2	5.0	4	8.0	6	10.7	4	6.3	2	3.8	6.9
Park	29	7.6	21	5.4	22	5.0	25	5.1	30	6.8	5.9
Platte	19	8.4	15	6.6	12	5.8	7	4.5	20	12.6	7.5
Sheridan	19	4.3	19	4.2	27	5.9	25	5.0	28	6.4	5.2
Sublette	7	7.4	4	5.3	4	4.4	6	6.3	5	6.8	6.0
Sweetwater	87	8.3	110	9.3	68	6.0	86	7.3	73	7.5	7.7
Teton	7	5.4	6	3.9	13	7.6	7	3.9	11	5.8	5.4
Uinta	20	5.9	40	9.4	41	8.1	41	6.7	44	6.9	7.4
Washakie	8	3.7	10	4.6	11	5.3	8	4.1	8	4.3	4.4
Weston	6	3.6	6	3.9	11	5.8	15	8.6	17	8.9	6.2
Yellowstone NP	1	25.0	2	33.3	-	-	-	-	-	-	12.0

*Data for 1979 and 1980 are births weighing 2500 grams or less, data for 1981-1983 are births weighing less than 2500 grams.

TABLE 8

Births by Weight at Birth
by County of Residence
Wyoming, 1983

Residence	Total	Low Weight		Weight in Grams							
		Number	Percent	Under 500	500-999	1000-1499	1500-1999	2000-2499	2500-4499	4500+	Unknown
Wyoming	10,254	721	7.0	5	38	52	121	505	9,420	106	7
Albany	526	37	7.0	-	1	-	4	32	486	3	-
Big Horn	233	13	5.6	-	2	2	1	8	217	3	-
Campbell	857	72	8.4	1	4	7	17	43	773	12	-
Carbon	416	33	7.9	-	-	3	5	25	381	2	-
Converse	286	19	6.6	-	1	-	4	14	266	1	-
Crook	134	10	7.5	-	3	-	3	4	121	3	-
Fremont	795	70	8.8	-	4	7	11	48	712	13	-
Goshen	206	7	3.4	-	-	2	2	3	197	2	-
Hot Springs	111	9	8.1	-	-	1	2	6	100	1	1
Johnson	114	4	3.5	-	1	-	-	3	109	1	-
Laramie	1,362	88	6.5	-	6	3	16	63	1,257	16	1
Lincoln	339	19	5.6	-	-	2	3	14	317	3	-
Natrona	1,533	102	6.7	-	9	5	12	76	1,413	18	-
Niobrara	52	2	3.8	-	1	-	-	1	50	-	-
Park	441	30	6.8	-	-	-	7	23	408	3	-
Platte	159	20	12.6	-	-	2	2	16	138	-	1
Sheridan	435	28	6.4	-	-	5	2	21	404	2	1
Sublette	74	5	6.8	-	-	-	1	4	68	1	-
Sweetwater	971	73	7.5	3	5	9	16	40	882	16	-
Teton	191	11	5.8	-	-	-	1	10	176	1	3
Uinta	638	44	6.9	-	1	4	10	29	593	1	-
Washakie	185	8	4.3	-	-	-	1	7	175	2	-
Weston	192	17	8.9	1	-	-	1	15	173	2	-
Yellowstone NP	4	-	-	-	-	-	-	-	4	-	-

TABLE 9

Births by Live Birth Order
by County of Residence
Wyoming, 1983

Residence	Total	Live Birth Order						
		1st	2nd	3rd	4th	5th	6th & Over	Unknown
Wyoming	10,254	4,144	3,338	1,624	637	283	222	6
Albany	526	262	166	59	22	8	8	1
Big Horn	233	69	70	52	14	16	12	-
Campbell	857	347	285	138	54	20	13	-
Carbon	416	155	160	69	22	6	4	-
Converse	286	105	108	43	18	9	3	-
Crook	134	41	48	25	9	7	4	-
Fremont	795	270	263	149	64	28	21	-
Goshen	206	86	63	31	20	2	4	-
Hot Springs	111	40	37	23	7	4	-	-
Johnson	114	39	52	13	5	4	1	-
Laramie	1,362	608	453	182	66	36	16	1
Lincoln	339	99	90	62	36	23	28	1
Natrona	1,533	702	437	232	88	38	35	1
Niobrara	52	23	13	8	5	2	1	-
Park	441	192	147	62	27	10	3	-
Platte	159	61	52	33	11	1	1	-
Sheridan	435	194	131	68	25	10	7	-
Sublette	74	37	27	7	-	1	2	-
Sweetwater	971	367	319	172	63	28	22	-
Teton	191	91	60	29	7	-	3	1
Uinta	638	220	201	107	58	27	24	1
Washakie	185	68	71	33	8	-	5	-
Weston	192	67	83	27	8	3	4	-
Yellowstone NP	4	1	2	-	-	-	1	-

TABLE 10

Births by Age of Mother
by Live Birth Order
Wyoming, 1983

Age of Mother	Total	Live Birth Order						
		1st	2nd	3rd	4th	5th	6th & Over	Unknown
Total	10,254	4,144	3,338	1,624	637	283	222	6
Under 15	14	14	-	-	-	-	-	-
15-17	366	335	29	2	-	-	-	-
18-19	895	662	197	33	3	-	-	-
15-19	1,261	997	226	35	3	-	-	-
20-24	3,707	1,728	1,380	468	106	22	3	-
25-29	3,329	1,028	1,185	704	271	109	31	1
30-34	1,501	323	454	334	190	103	94	3
35-39	374	52	86	75	61	40	59	1
40-44	64	1	7	8	6	9	32	1
45+	3	-	-	-	-	-	3	-
Unknown	1	1	-	-	-	-	-	-

TABLE 11

Births by Age of Mother
by Trimester Prenatal Care Began
Wyoming, 1983

Age of Mother	Total	Trimester Prenatal Care Began				
		1st	2nd	3rd	No Care	Not Stated
Total	10,254	8,019	1,779	279	111	66
Under 15	14	2	7	2	2	1
15-17	366	194	125	30	8	9
18-19	895	556	267	45	20	7
15-19	1,261	750	392	75	28	16
20-24	3,707	2,846	690	104	44	23
25-29	3,329	2,816	426	56	17	14
30-34	1,501	1,270	193	21	10	7
35-39	374	298	54	13	6	3
40-44	64	37	14	8	4	1
45+	3	-	3	-	-	-
Unknown	1	-	-	-	-	1

TABLE 12

Births by Trimester Prenatal Care Began
by County of Residence
Wyoming, 1983

Residence	Total	Trimester Prenatal Care Began				
		1st	2nd	3rd	No Care	Not Stated
Wyoming	10,254	8,019	1,779	279	111	66
Albany	526	464	53	6	3	-
Big Horn	233	186	40	7	-	-
Campbell	857	649	153	36	11	8
Carbon	416	304	93	10	6	3
Converse	286	199	71	11	4	1
Crook	134	98	25	3	8	-
Fremont	795	561	188	34	9	3
Goshen	206	147	45	12	2	-
Hot Springs	111	80	23	6	2	-
Johnson	114	84	28	2	-	-
Laramie	1,362	988	293	43	12	26
Lincoln	339	265	57	12	-	5
Natrona	1,533	1,294	187	31	20	1
Niobrara	52	41	8	2	1	-
Park	441	379	56	2	2	2
Platte	159	129	22	6	1	1
Sheridan	435	377	53	4	1	-
Sublette	74	57	15	2	-	-
Sweetwater	971	766	161	29	13	2
Teton	191	163	22	2	-	4
Uinta	638	512	103	9	8	6
Washakie	185	137	39	6	-	3
Weston	192	135	44	4	8	1
Yellowstone NP	4	4	-	-	-	-

TABLE 13

Births by County of Occurrence,
Attendant, and Place of Delivery
Wyoming, 1983

Occurrence	Total	Attendant		Place of Delivery	
		Physician	Other	Hospital	Other
Wyoming	9,501	9,307	194	9,365	136
Albany	653	649	4	650	3
Big Horn	148	147	1	147	1
Campbell	706	690	16	688	18
Carbon	291	286	5	286	5
Converse	205	198	7	193	12
Crook	68	68	-	68	-
Fremont	809	802	7	804	5
Goshen	159	157	2	157	2
Hot Springs	70	70	-	70	-
Johnson	136	136	-	135	1
Laramie	1,318	1,259	59	1,295	23
Lincoln	246	242	4	243	3
Natrona	1,589	1,569	20	1,563	26
Niobrara	39	39	-	39	-
Park	503	500	3	499	4
Platte	131	125	6	125	6
Sheridan	594	587	7	590	4
Sublette	5	4	1	-	5
Sweetwater	876	837	39	871	5
Teton	300	297	3	297	3
Uinta	254	248	6	246	8
Washakie	226	223	3	225	1
Weston	175	174	1	174	1
Yellowstone NP	-	-	-	-	-

TABLE 14

Birth Travel Patterns
County of Residence
by County of Occurrence
Wyoming, 1983

Place of Occurrence

Place of Residence	Total	Albany	Big Horn	Campbell	Carbon	Converse	Crook	Fremont	Goshen	Hot Springs	Johnson	Laramie	Lincoln	Natrona	Niobrara	Park	Platte	Sheridan	Sublette	Sweetwater	Teton	Uinta	Washakie	Weston	Out of State
Total	--	653	148	706	291	205	68	809	159	70	138	1,318	246	1,589	39	503	131	594	5	876	300	254	226	175	963
Albany	526	506	-	-	2	1	-	1	-	-	-	4	-	1	-	-	-	1	-	2	-	-	-	-	8
Big Horn	233	-	141	-	-	-	-	1	-	1	-	-	-	1	-	61	-	-	-	-	-	-	16	-	12
Campbell	657	-	-	689	-	2	21	-	-	-	40	2	-	3	1	-	1	61	-	-	1	-	-	1	35
Carbon	416	108	-	-	262	-	-	4	-	-	-	1	-	9	-	-	1	-	-	-	-	-	-	-	31
Converse	286	-	-	-	-	193	-	-	-	-	-	1	-	78	1	-	8	1	-	-	-	-	-	-	4
Crook	134	-	-	7	-	-	35	-	-	-	-	-	-	2	-	-	-	5	-	1	-	-	-	8	76
Fremont	795	-	-	-	2	-	-	768	-	5	-	-	-	3	-	-	-	-	-	1	7	-	1	-	8
Goshen	206	1	-	-	-	-	-	-	128	-	-	4	-	-	2	-	2	-	-	-	-	-	-	-	69
Hot Springs	111	-	-	-	-	-	-	9	-	61	-	-	-	-	-	3	-	1	-	-	-	-	34	-	3
Johnson	114	-	-	-	-	-	-	-	-	-	86	-	-	4	-	-	-	24	-	-	-	-	-	-	-
Laramie	1,362	10	-	-	-	-	-	1	1	-	-	1,268	-	-	-	1	1	-	-	-	-	-	-	-	80
Lincoln	339	-	-	-	-	-	-	4	-	-	-	-	235	-	-	-	-	-	1	2	27	10	-	-	60
Natrona	1,533	2	1	4	-	4	-	6	-	-	6	3	-	1,478	1	2	-	4	-	-	-	1	1	2	18
Niobrara	52	-	-	-	-	3	-	-	2	-	-	-	-	2	34	-	-	-	-	-	-	-	-	2	9
Park	441	-	4	-	-	-	-	1	-	-	-	-	-	-	-	426	-	-	-	-	-	-	-	-	10
Platte	169	4	-	-	-	1	-	-	17	-	-	15	-	1	-	-	116	-	-	-	-	-	-	-	5
Sheridan	435	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	424	-	-	-	-	-	-	7
Sublette	74	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	4	1	63	-	-	-	4
Sweetwater	971	1	-	-	25	-	-	6	-	-	-	2	3	1	-	-	-	1	-	824	1	2	-	-	105
Teton	191	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	180	-	-	-	11
Uinta	638	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	27	-	231	-	-	378
Washakie	185	-	2	-	-	-	-	1	-	2	-	-	-	-	-	2	-	-	-	1	-	-	171	-	6
Weston	192	-	-	1	-	-	12	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	156	20
Yellowstone NP	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
Out of State	210	20	-	5	-	1	-	6	11	1	-	17	6	6	-	8	2	70	-	17	21	10	3	6	--

Rows - The total indicates the number of births to residents of a particular county. The entries in the row indicate the counties in which these births occurred.

Columns - The total incicates the number of births which occurred in a particular county. The entries in the column indicate the county of resicence of the mother.

TABLE 15

Deaths and Rates
by County of Residence
Wyoming, 1979-1983

Residence	1979		1980		1981		1982		1983	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
U.S. Rates	--	8.5	--	8.8	--	8.6	--	8.5	--	8.6
Wyoming	3,063	6.7	3,215	6.8	3,162	6.5	3,183	6.5	3,155	6.5
Albany	142	5.0	175	6.0	154	5.3	148	5.1	153	5.1
Big Horn	124	10.7	109	9.2	109	9.1	124	10.0	111	9.0
Campbell	95	4.2	88	3.6	119	3.9	117	3.8	115	3.7
Carbon	177	8.6	162	7.4	154	7.2	145	7.1	130	6.9
Converse	91	6.6	95	6.8	78	5.6	79	5.9	67	5.4
Crook	34	6.6	38	7.2	40	7.3	28	4.9	52	9.0
Fremont	274	7.3	296	7.6	278	7.1	277	7.1	235	6.4
Goshen	97	8.1	117	9.7	130	10.7	136	11.1	131	10.6
Hot Springs	73	13.1	70	12.3	75	13.2	71	12.4	61	10.5
Johnson	56	8.7	70	10.4	65	9.6	65	9.6	63	9.0
Laramie	455	6.9	492	7.2	479	6.9	478	6.8	503	7.0
Lincoln	82	7.2	79	6.5	96	7.4	82	6.2	76	5.6
Natrona	373	5.4	386	5.4	427	5.6	401	5.4	408	5.7
Niobrara	34	11.7	42	14.4	35	11.6	36	11.9	32	10.5
Park	172	8.1	168	7.8	137	6.2	168	7.5	146	6.5
Platte	72	5.1	95	7.9	75	6.8	89	8.7	77	7.8
Sheridan	214	8.8	217	8.7	210	8.3	238	9.5	247	9.7
Sublette	33	7.4	23	5.1	23	5.0	29	6.1	41	8.5
Sweetwater	210	5.1	233	5.6	243	5.4	227	5.2	212	5.2
Teton	29	3.4	38	4.1	37	3.9	36	3.7	49	4.9
Uinta	82	6.8	83	6.4	67	4.0	77	4.2	85	4.3
Washakie	72	7.8	67	7.1	75	7.8	67	6.9	90	8.8
Weston	71	10.2	71	10.0	56	7.2	64	8.5	71	9.1
Yellowstone NP	1	--	1	--	-	--	1	--	-	--

TABLE 16

Deaths by Sex, Race, Age,
and County of Residence
Wyoming, 1983

	Total	Age Group											
		Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & Over	Not Stated
Wyoming	3,155	101	27	24	124	129	121	177	418	691	786	556	1
Sex													
Male	1,835	60	19	15	87	95	86	126	269	435	416	227	-
Female	1,320	41	8	9	37	34	35	51	149	256	370	329	1
Race													
White	3,085	97	26	24	115	123	119	174	411	674	773	548	1
Black	19	1	1	-	1	-	1	1	2	3	7	2	-
Indian	47	3	-	-	6	6	1	2	4	13	6	6	-
Other	4	-	-	-	2	-	-	-	1	1	-	-	-
Residence													
Albany	153	5	-	1	5	5	8	9	22	35	41	22	-
Big Horn	111	1	1	-	1	1	4	1	15	22	34	31	-
Campbell	115	4	3	4	3	17	12	10	14	15	22	10	1
Carbon	130	2	1	2	5	8	4	12	18	34	30	14	-
Converse	67	2	-	-	4	2	4	3	5	16	20	11	-
Crook	52	5	-	-	1	3	2	4	5	9	12	11	-
Fremont	235	11	2	-	10	13	9	18	24	62	50	36	-
Goshen	131	1	1	-	3	2	4	10	13	27	41	29	-
Hot Springs	61	2	-	-	-	-	4	2	11	11	18	13	-
Johnson	63	2	-	-	3	-	1	-	11	9	22	15	-
Laramie	503	14	2	3	14	14	13	27	68	112	129	107	-
Lincoln	76	4	1	1	1	4	2	5	8	14	16	20	-
Natrona	408	9	3	4	22	16	11	25	67	94	102	55	-
Niobrara	32	1	-	-	-	2	-	1	4	10	9	5	-
Park	146	1	1	1	8	5	7	7	19	33	36	28	-
Platte	77	-	1	-	2	-	3	1	15	17	21	17	-
Sheridan	247	5	-	-	6	11	10	17	30	57	64	47	-
Sublette	41	-	1	1	2	1	4	-	4	12	9	7	-
Sweetwater	212	19	7	2	19	11	9	9	23	46	41	26	-
Teton	49	1	-	1	5	4	1	2	11	12	11	1	-
Uinta	85	8	3	2	5	6	4	4	13	13	14	13	-
Washakie	90	-	-	1	3	3	3	4	9	19	24	24	-
Weston	71	4	-	1	2	1	2	6	9	12	20	14	-
Yellowstone NP	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 17

Deaths by Selected Cause
and County of Residence
Wyoming, 1983

Residence	Total	Malignant Neoplasms 140-208	Diabetes Mellitus 250	Heart Disease 390-398, 402, 404-429	Cerebrovascular Disease 430-438	Arteriosclerosis 440	Pneumonia and Influenza 480-487	Chronic Pulmonary Disease 490-496	Ulcer of the Stomach and Duodenum 531-533	Chronic Liver Disease and Cirrhosis 571	Nephritis and Nephrosis 580-589	Complication of Pregnancy, Childbirth & the Puerperium 630-676	Congenital Anomalies 740-759	Certain Conditions of the Perinatal Period 760-779	Accidents (Total) E800-E949	Motor Vehicle Accidents E810-E825	Suicide E950-E959	Homicide E960-E978	All Other Causes
Wyoming	3,155	586	49	1,002	190	44	122	162	7	31	35	-	31	36	267	157	105	30	458
Albany	153	28	2	55	5	5	3	7	1	3	-	-	-	-	19	10	4	1	20
Big Horn	111	21	2	33	15	-	5	7	-	-	4	-	-	-	6	2	4	-	16
Campbell	115	16	-	27	4	-	2	7	1	2	1	-	1	1	17	11	10	6	20
Carbon	130	28	4	40	3	1	7	7	1	4	-	-	1	-	14	9	4	1	15
Converse	67	9	2	24	4	2	4	2	-	-	1	-	-	1	7	2	1	1	10
Crook	52	9	1	14	2	1	1	5	-	-	-	-	1	4	6	3	2	1	5
Fremont	235	47	5	75	9	4	10	7	-	2	3	-	2	3	18	14	11	4	35
Goshen	131	29	5	39	8	3	2	7	-	1	1	-	-	-	8	1	4	-	24
Hot Springs	61	13	1	21	4	-	4	3	-	-	1	-	-	2	1	1	3	1	7
Johnson	63	13	-	24	6	3	-	3	-	2	1	-	1	1	2	1	1	-	6
Laramie	503	95	8	178	33	7	15	28	2	6	5	-	7	2	28	17	11	4	74
Lincoln	76	12	2	28	8	3	3	2	-	-	-	-	2	2	3	2	3	-	8
Natrona	408	84	4	121	23	1	13	31	-	2	6	-	3	4	40	25	12	3	61
Niobrara	32	7	-	13	2	-	4	1	-	-	-	-	-	-	3	-	-	-	2
Park	146	26	1	49	8	2	5	9	-	-	3	-	1	1	9	6	5	3	25
Platte	77	9	2	23	7	2	3	4	-	1	1	-	-	-	4	2	2	-	19
Sheridan	247	42	4	75	23	2	17	17	1	5	2	-	1	2	16	8	8	2	30
Sublette	41	11	-	12	-	-	5	1	-	-	-	-	-	-	5	3	1	-	6
Sweetwater	212	33	2	56	10	1	6	7	-	3	1	-	3	9	29	24	8	3	37
Teton	49	6	2	17	1	-	1	1	-	-	1	-	1	-	8	6	4	-	7
Uinta	85	15	2	26	6	3	2	2	-	-	-	-	-	4	13	6	3	-	7
Washakie	90	19	-	27	7	2	9	2	-	-	4	-	-	-	7	1	2	-	11
Weston	71	14	-	25	2	2	3	2	1	-	-	-	2	1	4	3	2	-	13
Yellowstone NP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Note: Code numbers following selected causes refer to the Ninth Revision of the International Classification of Diseases.

TABLE 18
Leading Cause of Death by Age Group
Wyoming, 1983

Cause of Death	Number Deaths	Percent of Total
ALL AGES		
Disease of the Heart	1,002	31.8
Malignant Neoplasms	586	18.6
Accidents	267	8.5
Cerebrovascular Disease	190	6.0
Chronic Pulmonary Disease	162	5.1
All Other Causes	948	30.0
Total	3,155	100.0
UNDER 1 YEAR		
Sudden Infant Death Syndrome	23	22.8
Congenital Anomalies	22	21.8
Immaturity	11	10.9
Respiratory Distress Syndrome	5	5.0
Hypoxia and Asphyxia	4	4.0
Pneumonia and Influenza	4	4.0
All Other Causes	32	31.7
Total	101	100.0
1 - 4 YEARS		
Accidents	14	51.9
Congenital Anomalies	4	14.8
Malignant Neoplasms	3	11.1
Disease of the Heart	2	7.4
All Other Causes	4	14.8
Total	27	100.0
5 - 14 YEARS		
Accidents	10	41.7
Malignant Neoplasms	3	12.5
Homicide	2	8.3
All Other Causes	9	37.5
Total	24	100.0
15 - 24 YEARS		
Accidents	74	59.7
Suicide	27	21.8
Malignant Neoplasms	7	5.6
Homicide	5	4.0
All Other Causes	11	8.9
Total	124	100.0
25 - 34 YEARS		
Accidents	66	51.2
Suicide	19	14.7
Homicide	12	9.3
Malignant Neoplasms	6	4.7
Disease of the Heart	4	3.1
All Other Causes	22	17.1
Total	129	100.0
35 - 44 YEARS		
Accidents	29	24.6
Disease of the Heart	25	20.7
Malignant Neoplasms	18	14.9
Suicide	15	12.4
Homicide	8	6.6
All Other Causes	26	21.5
Total	121	100.0
45 - 54 YEARS		
Malignant Neoplasms	52	29.4
Disease of the Heart	44	24.9
Accidents	18	10.2
Suicide	13	7.3
Chronic Liver Disease and Cirrhosis	6	3.4
All Other Causes	44	24.9
Total	177	100.0
55 - 64 YEARS		
Disease of the Heart	148	35.4
Malignant Neoplasms	123	29.4
Chronic Pulmonary Disease	30	7.2
Cerebrovascular Disease	17	4.1
Suicide	17	4.1
All Other Causes	83	19.9
Total	418	100.0
65 - 74 YEARS		
Disease of the Heart	250	36.2
Malignant Neoplasms	186	26.9
Chronic Pulmonary Disease	54	7.8
Cerebrovascular Disease	40	5.8
Pneumonia and Influenza	13	1.9
All Other Causes	148	21.4
Total	691	100.0
75 YEARS & OVER		
Disease of the Heart	528	39.3
Malignant Neoplasms	188	14.0
Cerebrovascular Disease	124	9.2
Pneumonia and Influenza	94	7.0
Chronic Pulmonary Disease	69	5.1
All Other Causes	339	25.3
Total	1,342	100.0

TABLE 19

Resident Deaths by
Selected Cause and Age
Wyoming, 1983

	Total	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & Over	Not Stated
All causes	3,155	101	27	24	124	129	121	177	418	691	786	556	1
Tuberculosis (010-018)	1	-	-	-	-	-	-	-	-	-	1	-	-
Residual of infectious and parasitic diseases	25	-	-	-	1	-	1	2	4	10	5	2	-
Malignant neoplasms (140-208)	586	-	3	3	7	6	18	52	103	186	138	50	-
Digestive organs and peritoneum (150-159)	136	-	-	-	-	1	4	8	29	44	37	13	-
Respiratory and intrathoracic organs (160-165)	161	-	-	-	2	-	1	17	40	69	22	10	-
Breast (174-175)	43	-	-	-	-	-	1	6	13	11	9	3	-
Genital organs (179-187)	54	-	-	-	-	1	2	2	10	11	18	10	-
Urinary organs (188-189)	29	-	-	-	-	-	-	1	7	14	5	2	-
Leukemia (204-208)	20	-	1	-	1	1	3	3	1	3	6	1	-
Other malignant neoplasms	143	-	2	3	4	3	7	15	23	34	41	11	-
Diabetes mellitus (250)	49	-	-	-	1	2	3	3	9	12	13	6	-
Major cardiovascular diseases (390-448)	1,281	2	2	-	-	7	28	49	160	312	399	314	-
Diseases of heart (390-398, 402, 404-429)	1,002	1	2	-	-	4	25	44	148	260	305	223	-
Rheumatic fever and rheumatic heart disease (390-398)	10	-	-	-	-	-	-	1	1	2	5	1	-
Hypertensive heart disease (402, 404)	42	-	-	-	-	-	-	1	3	5	4	9	-
Ischemic heart disease (410-414)	653	-	-	-	-	1	14	36	113	178	191	120	-
Other heart disease (415-429)	317	1	2	-	-	3	11	6	31	65	105	93	-
Hypertension (401, 403)	10	-	-	-	-	-	-	-	1	5	2	2	-
Cerebrovascular disease (430-438)	190	1	-	-	-	2	3	3	17	40	68	56	-
Arteriosclerosis (440)	44	-	-	-	-	-	-	-	-	5	12	27	-
Other cardiovascular disease (441-448)	35	-	-	-	-	1	-	2	2	12	12	6	-
Pneumonia and influenza (480-487)	122	4	-	1	-	2	1	2	5	13	39	55	-
Chronic obstructive pulmonary disease (490-496)	162	-	-	1	-	1	2	5	30	54	50	19	-
Ulcer of stomach and duodenum (531-533)	7	-	-	-	-	-	1	1	1	1	3	-	-
Chronic liver disease and cirrhosis (571)	31	-	-	-	1	-	4	6	10	6	4	-	-
Nephritis and nephrosis (580-589)	35	1	-	-	-	-	-	-	2	5	17	10	-
Congenital anomalies (740-759)	31	22	4	1	-	1	1	-	1	1	-	-	-
Certain conditions of the perinatal period (760-779)	36	36	-	-	-	-	-	-	-	-	-	-	-
Symptoms and ill-defined conditions (780-799)	58	25	-	-	1	-	1	2	1	5	9	14	-
All other diseases	310	7	3	6	2	8	7	23	30	66	81	77	-
Motor vehicle accidents (E810-E825)	157	1	8	6	54	42	15	11	10	5	5	-	-
Other accidents (E800-E807, E826-E949)	110	1	6	4	20	24	14	7	6	6	14	8	-
Suicide (E950-E959)	105	-	-	-	27	19	15	13	17	7	6	1	-
Homicide and legal intervention (E960-E978)	30	-	-	2	5	12	8	1	1	1	-	-	-
All other external causes (E980-E999)	19	2	1	-	5	5	2	-	-	1	2	-	1

NOTE: Code numbers following selected causes refer to the Ninth Revision of the International Classification of Diseases.

TABLE 20

Male Resident Deaths by
Selected Cause and Age
Wyoming, 1983

	Total	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & Over	Not Stated
All causes	1,835	60	19	15	87	95	86	126	269	435	416	227	-
Tuberculosis (010-018)	1	-	-	-	-	-	-	-	-	-	1	-	-
Residual of infectious and parasitic diseases	10	-	-	-	1	-	-	-	1	6	1	1	-
Malignant neoplasms (140-208)	336	-	1	2	4	2	11	34	66	114	78	24	-
Digestive organs and peritoneum (150-159)	77	-	-	-	-	1	3	7	16	28	19	3	-
Respiratory and intrathoracic organs (160-165)	117	-	-	-	1	-	1	12	28	51	18	6	-
Genital organs (179-187)	35	-	-	-	-	-	1	1	6	5	13	9	-
Urinary organs (188-189)	16	-	-	-	-	-	-	1	5	7	3	-	-
Leukemia (204-208)	15	-	-	-	-	1	1	3	1	3	5	1	-
Other malignant neoplasms	76	-	1	2	3	-	5	10	10	20	20	5	-
Diabetes mellitus (250)	21	-	-	-	1	1	-	1	5	4	7	2	-
Major cardiovascular diseases (390-448)	684	1	1	-	-	4	23	41	112	199	190	113	-
Diseases of heart (390-398, 402, 404-429)	557	-	1	-	-	2	21	39	100	168	153	73	-
Rheumatic fever and rheumatic heart disease (390-398)	1	-	-	-	-	-	-	-	-	-	1	-	-
Hypertensive heart disease (402, 404)	9	-	-	-	-	-	-	1	2	3	1	2	-
Ischemic heart disease (410-414)	400	-	-	-	-	-	13	33	82	125	106	41	-
Other heart disease (415-429)	147	-	1	-	-	2	8	5	16	40	45	30	-
Hypertension (401, 403)	2	-	-	-	-	-	-	-	-	1	-	1	-
Cerebrovascular disease (430-438)	81	1	-	-	-	1	2	1	10	17	24	25	-
Arteriosclerosis (440)	20	-	-	-	-	-	-	-	-	4	4	12	-
Other cardiovascular disease (441-448)	24	-	-	-	-	1	-	1	2	4	9	2	-
Pneumonia and influenza (480-487)	71	1	-	-	-	1	1	2	4	9	22	31	-
Chronic obstructive pulmonary disease (490-496)	107	-	-	-	-	-	-	3	22	35	35	12	-
Ulcer of stomach and duodenum (531-533)	4	-	-	-	-	-	1	-	1	-	2	-	-
Chronic liver disease and cirrhosis (571)	20	-	-	-	-	-	-	5	9	5	1	-	-
Nephritis and nephrosis (580-589)	17	1	-	-	-	-	-	-	1	3	7	5	-
Congenital anomalies (740-759)	18	13	3	-	-	-	1	-	-	1	-	-	-
Certain conditions of the perinatal period (760-779)	19	19	-	-	-	-	-	-	-	-	-	-	-
Symptoms and ill-defined conditions (780-799)	33	18	-	-	-	-	1	2	1	3	4	4	-
All other diseases	178	6	2	5	-	6	3	14	18	42	49	33	-
Motor vehicle accidents (E810-E825)	123	-	7	3	40	35	15	9	6	3	3	-	-
Other accidents (E800-E807, E826-E949)	82	-	4	3	15	23	13	6	5	4	8	1	-
Suicide (E950-E959)	79	-	-	-	21	13	10	8	15	5	6	1	-
Homicide and legal intervention (E960-E978)	22	-	-	2	3	8	6	1	1	1	-	-	-
All other external causes (E980-E999)	10	1	1	-	2	2	1	-	-	1	2	-	-

NOTE: Code numbers following selected causes refer to the Ninth Revision of the International Classification of Diseases.

TABLE 21

Female Resident Deaths by
Selected Cause and Age
Wyoming, 1983

	Total	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	15-64	85 & over	Not stated
All causes	1,320	41	8	9	37	34	35	51	100	210	370	229	1
Residual of infectious and parasitic diseases	15	-	-	-	-	-	1	2	3	4	4	1	-
Malignant neoplasms (140-208)	250	-	2	1	3	4	9	18	57	75	80	56	-
Digestive organs and peritoneum (150-159)	69	-	-	-	-	-	1	2	14	28	18	26	-
Respiratory and intrathoracic organs (160-165)	44	-	-	-	1	-	-	2	16	20	4	4	-
Breast (174-175)	42	-	-	-	-	-	1	6	15	11	9	5	-
Genital organs (179-187)	19	-	-	-	-	1	1	1	4	6	3	3	-
Urinary organs (188-189)	13	-	-	-	-	-	-	1	2	2	1	2	-
Leukemia (204-208)	5	-	1	-	1	-	2	-	-	1	1	-	-
Other malignant neoplasms	67	-	1	1	1	3	2	5	13	14	11	6	-
Diabetes mellitus (250)	28	-	-	-	-	1	3	2	8	5	4	4	-
Major cardiovascular diseases (390-448)	597	1	1	-	-	5	8	20	111	209	201	150	-
Diseases of heart (390-398, 402, 404-429)	445	1	1	-	-	2	4	8	48	152	150	128	-
Rheumatic fever and rheumatic heart disease (390-398)	9	-	-	-	-	-	-	1	1	2	4	1	-
Hypertensive heart disease (402, 404)	12	-	-	-	-	-	-	1	2	3	3	4	-
Ischemic heart disease (410-414)	253	-	-	-	-	1	1	3	31	53	35	29	-
Other heart disease (415-429)	170	1	1	-	-	1	3	1	15	25	30	93	-
Hypertension (401, 403)	8	-	-	-	-	-	-	1	1	2	2	2	-
Cerebrovascular disease (430-438)	109	-	-	-	-	1	1	2	7	23	44	31	-
Arteriosclerosis (440)	24	-	-	-	-	-	-	-	-	1	8	15	-
Other cardiovascular disease (441-448)	11	-	-	-	-	-	-	1	-	3	2	4	-
Pneumonia and influenza (480-487)	51	3	-	1	-	1	-	-	1	4	17	24	-
Chronic obstructive pulmonary disease (490-496)	55	-	-	1	-	1	2	2	8	19	15	7	-
Ulcer of stomach and duodenum (531-533)	3	-	-	-	-	-	-	1	-	1	1	-	-
Chronic liver disease and cirrhosis (571)	11	-	-	-	1	-	4	1	1	1	3	-	-
Nephritis and nephrosis (580-589)	18	-	-	-	-	-	-	-	1	2	10	5	-
Congenital anomalies (740-759)	13	9	1	1	-	1	-	-	1	-	-	-	-
Certain conditions of the perinatal period (760-779)	17	17	-	-	-	-	-	-	-	-	-	-	-
Symptoms and ill-defined conditions (780-799)	25	7	-	-	1	-	-	-	-	2	5	10	-
All other diseases	132	1	1	1	2	2	4	9	12	14	32	44	-
Motor vehicle accidents (E810-E825)	34	1	1	5	14	7	-	5	2	3	2	-	-
Other accidents (E800-E807, E826-E949)	28	1	2	1	5	1	1	1	1	2	6	7	-
Suicide (E950-E959)	26	-	-	-	6	6	5	3	2	2	-	-	-
Homicide and legal intervention (E960-E978)	8	-	-	-	2	4	2	-	-	-	-	-	-
All other external causes (E980-E999)	9	1	-	-	3	3	1	-	-	-	-	-	1

NOTE: Code numbers following selected causes refer to the Ninth Revision of the International Classification of Diseases.

TABLE 22

Accidental Deaths
Occurring in Wyoming
by Age and Sex
1983

Type of Accident	Total	Male	Female	0-4		5-14		15-24		25-44		45-64		65-74		75+	
				M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total Accidental Deaths	286	229	57	12	3	6	6	54	16	97	6	34	7	13	7	13	12
Occupational Deaths (except motor vehicle)	17	17	-	-	-	-	-	3	-	9	-	2	-	2	-	1	-
Agriculture	4	4	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-
Mining, quarrying, oil and gas wells	5	5	-	-	-	-	-	-	-	4	-	1	-	-	-	-	-
Construction	3	3	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
Manufacturing	2	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
Transportation and public utilities	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Trade	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Service	2	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Government	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified industry	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Home Deaths	32	22	10	4	1	1	-	3	1	6	-	1	1	2	2	5	5
Poisonings (except gas)	6	3	3	-	-	-	-	-	1	3	-	-	-	-	2	-	-
Poisonings by gases and vapors	2	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Falls	11	6	5	-	-	-	-	-	-	-	-	-	1	1	-	5	4
Fires	4	3	1	-	-	-	-	1	-	-	-	1	-	1	-	-	1
Drowning	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation, ingested food or object	3	3	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
Suffocation, mechanical	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Firearms	2	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified home accidents	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor Vehicle Deaths	173	137	36	7	2	4	4	36	12	56	6	22	6	7	5	5	1
Injury to pedestrian	16	16	-	3	-	-	-	4	-	6	-	2	-	1	-	-	-
Injury to pedal cyclist	5	2	3	1	-	1	1	-	2	-	-	-	-	-	-	-	-
Injury to rider of animal or occupant of animal drawn vehicle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Collision with railroad train	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Collision with other motor vehicle	56	41	15	2	-	1	2	8	4	18	3	6	2	3	3	3	1
Collision with fixed object	6	4	2	-	-	-	-	1	-	1	1	2	-	-	1	-	-
Noncollision	85	71	14	1	2	2	1	23	6	29	2	11	3	3	-	2	-
Other and unspecified accidents	4	2	2	-	-	-	-	-	-	2	-	-	1	-	1	-	-
Public Deaths (except motor vehicle)	63	53	10	1	-	1	2	12	3	26	-	9	-	2	-	2	5
Railroad (not with motor vehicle)	3	3	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-
Other road vehicle (not with motor vehicle)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Water transportation	3	2	1	-	-	-	-	-	1	2	-	-	-	-	-	-	-
Air transportation	23	21	2	-	-	-	1	4	1	12	-	4	-	-	-	1	-
Falls	12	7	5	-	-	-	-	2	-	5	-	-	-	-	-	-	5
Fires	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Drowning	6	5	1	-	-	1	1	3	-	-	-	1	-	-	-	-	-
Firearms	5	5	-	-	-	-	-	1	-	2	-	2	-	-	-	-	-
Other and unspecified public accidents	10	9	1	1	-	-	-	2	1	2	-	1	-	2	-	1	-
Type of Accident Unspecified	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1

TABLE 23

Infant Deaths by
Age and County of Residence
Wyoming, 1983

Residence	Infant	Neonatal	Under 7 Days	7-27 Days	28 Days - 1 Year
Wyoming	101	52	48	4	49
Albany	5	-	-	-	5
Big Horn	1	1	1	-	-
Campbell	4	1	1	-	3
Carbon	2	-	-	-	2
Converse	2	-	-	-	2
Crook	5	5	5	-	-
Fremont	11	5	5	-	6
Goshen	1	-	-	-	1
Hot Springs	2	2	2	-	-
Johnson	2	2	1	1	-
Laramie	14	6	5	1	8
Lincoln	4	2	2	-	2
Natrona	9	6	4	2	3
Niobrara	1	-	-	-	1
Park	1	1	1	-	-
Platte	-	-	-	-	-
Sheridan	5	2	2	-	3
Sublette	-	-	-	-	-
Sweetwater	19	11	11	-	8
Teton	1	1	1	-	-
Uinta	8	4	4	-	4
Washakie	-	-	-	-	-
Weston	4	3	3	-	1
Yellowstone NP	-	-	-	-	-

TABLE 24

Infant and Neonatal Deaths
by County of Residence
Wyoming, 1979-1983

Residence	Infant						Neonatal					
	1979	1980	1981	1982	1983	Rate* 79-83	1979	1980	1981	1982	1983	Rate* 79-83
Wyoming	129	104	121	109	101	10.8	82	68	76	65	52	6.5
Albany	6	4	4	3	5	8.8	3	2	1	3	-	3.6
Big Horn	4	-	8	1	1	10.9	4	-	5	-	1	7.8
Campbell	7	3	16	6	4	9.4	4	1	9	4	1	5.0
Carbon	9	4	8	9	2	12.9	4	2	4	4	-	5.7
Converse	2	2	5	2	2	7.9	1	1	4	1	-	4.3
Crook	2	2	4	-	5	20.3	2	1	3	-	5	17.2
Fremont	13	16	10	20	11	15.5	5	8	5	14	5	8.2
Goshen	2	4	7	2	1	15.0	2	3	6	1	-	11.3
Hot Springs	4	2	-	-	2	15.2	3	2	-	-	2	13.3
Johnson	1	2	-	1	2	9.6	-	2	-	-	2	6.4
Laramie	12	14	9	14	14	9.3	11	9	8	9	6	6.4
Lincoln	5	4	7	4	4	13.3	3	4	3	2	2	7.8
Natrona	20	11	17	13	9	8.8	13	7	11	7	6	5.5
Niobrara	2	1	1	1	1	22.9	1	1	1	-	-	11.5
Park	6	1	2	3	1	6.1	5	1	2	2	1	5.1
Platte	-	1	3	3	-	7.2	-	-	-	3	-	3.1
Sheridan	2	2	3	7	5	8.3	2	1	3	4	2	5.3
Sublette	3	-	-	-	-	7.0	3	-	-	-	-	7.0
Sweetwater	16	17	7	7	19	12.0	9	13	3	4	11	7.3
Teton	3	3	2	1	1	12.2	3	3	1	-	1	9.7
Uinta	5	6	4	9	8	12.7	1	4	3	5	4	6.7
Washakie	4	3	2	1	-	9.7	3	2	2	1	-	7.8
Weston	1	2	2	2	4	12.5	-	1	2	1	3	7.9
Yellowstone NP	-	-	-	-	-	-	-	-	-	-	-	-

*per 1,000 live births.

TABLE 25

Resident Infant Deaths by
Selected Cause and Age at Death
Wyoming, 1983

	Total Infant	Neonatal	Under 7 Days	7-27 Days	28 Days -1 Year
All Causes	101	52	48	4	49
Pneumonia and Influenza (480-487)	4	-	-	-	4
Congenital anomalies (740-759)	22	15	13	2	7
Certain conditions originating in the perinatal period (760-779)	36	34	33	1	2
Newborn affected by maternal conditions (760)	1	1	1	-	-
Newborn affected by maternal complications of pregnancy (761)	1	1	1	-	-
Newborn affected by complications of placenta, cord and membranes (762)	1	1	1	-	-
Disorders relating to short gestation and unspecified low birthweight (765)	11	10	10	-	1
Birth trauma (767)	1	1	1	-	-
Intrauterine hypoxia and birth asphyxia (768)	4	3	3	-	1
Respiratory distress syndrome (769)	5	5	5	-	-
Other respiratory conditions of newborn (770)	6	6	5	1	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9, 776.1-779)	6	6	6	-	-
Sudden infant death syndrome (798.0)	23	-	-	-	23
Accidents and adverse effects (E800-E949)	2	-	-	-	2
All other causes	14	3	2	1	11

Note: Code numbers following selected causes refer to the Ninth Revision of the International Classification of Diseases.

TABLE 26

Stillbirths by
County of Residence
Wyoming, 1979-1983

Residence	1979	1980	1981	1982	1983
Wyoming	65	81	93	92	72
Albany	4	3	3	3	4
Big Horn	2	3	5	3	4
Campbell	1	-	8	6	9
Carbon	1	3	2	3	5
Converse	4	2	3	4	-
Crook	-	-	2	1	-
Fremont	6	7	13	8	4
Goshen	-	4	3	2	3
Hot Springs	1	-	1	2	2
Johnson	2	-	1	3	2
Laramie	11	7	8	7	10
Lincoln	1	2	3	5	2
Natrona	8	19	14	12	8
Niobrara	-	-	-	-	1
Park	3	4	3	-	1
Platte	4	1	2	1	2
Sheridan	1	8	3	3	1
Sublette	-	1	1	3	3
Sweetwater	11	14	12	15	5
Teton	2	-	-	3	-
Uinta	-	1	4	5	2
Washakie	2	-	1	3	2
Weston	1	1	1	-	2
Yellowstone NP	-	1	-	-	-

TABLE 27

Births and Deaths
by County of Occurrence
Wyoming, 1979-1983

Occurrence	1979		1980		1981		1982		1983	
	Births	Deaths	Births	Deaths	Births	Deaths	Births	Deaths	Births	Deaths
Wyoming	9,067	2,952	9,813	3,083	10,104	3,024	10,174	3,033	9,501	2,991
Albany	709	158	663	182	725	150	633	144	653	157
Big Horn	164	102	140	86	166	74	177	92	148	78
Campbell	357	74	489	72	642	106	707	92	706	105
Carbon	286	161	346	135	338	153	305	123	291	121
Converse	285	87	313	82	269	60	260	64	205	48
Crook	71	17	58	20	61	23	70	16	68	24
Fremont	892	270	994	284	916	277	884	257	809	229
Goshen	227	81	227	86	201	103	194	109	159	94
Hot Springs	72	73	65	73	79	80	56	63	70	55
Johnson	172	57	170	62	182	68	180	63	136	59
Laramie	1,210	506	1,311	538	1,331	521	1,329	554	1,318	571
Lincoln	240	59	272	50	268	56	301	65	246	57
Natrona	1,516	367	1,616	388	1,737	417	1,766	405	1,589	420
Niobrara	27	26	39	38	35	32	37	30	39	29
Park	431	160	481	154	516	115	553	160	503	143
Platte	155	58	178	79	149	59	126	70	131	53
Sheridan	575	222	604	248	587	212	640	254	594	266
Sublette	5	20	1	18	3	10	5	26	5	41
Sweetwater	861	192	993	222	970	229	1,019	191	876	191
Teton	208	49	240	54	273	62	310	58	300	61
Uinta	198	82	203	84	219	82	222	76	254	67
Washakie	289	69	278	57	271	75	238	56	226	73
Weston	115	57	131	64	166	47	162	50	175	46
Yellowstone NP	2	5	1	7	-	13	-	15	-	3

TABLE 28

Marriages and Rates
by County of Occurrence
Wyoming, 1979-1983

Occurrence	1979		1980		1981		1982		1983	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
U.S. Rates	--	10.4	--	10.6	--	10.6	--	10.8	--	10.5
Wyoming	6,459	14.2	6,868	14.6	7,057	14.4	6,799	14.0	6,201	12.9
Albany	338	12.0	328	11.3	335	11.5	334	11.4	304	10.2
Big Horn	102	8.8	128	10.8	116	9.6	133	10.8	101	8.2
Campbell	275	12.2	335	13.7	404	13.2	382	12.4	346	11.2
Carbon	315	15.3	287	13.1	318	14.8	294	14.4	242	12.8
Converse	223	16.1	233	16.6	204	14.6	207	15.5	168	13.6
Crook	63	12.2	76	14.3	58	10.6	72	12.6	58	10.0
Fremont	528	14.1	505	13.0	490	12.5	428	11.0	399	10.9
Goshen	189	15.9	204	16.9	213	17.6	205	16.8	250	20.3
Hot Springs	69	12.4	82	14.4	88	15.5	70	12.3	63	10.8
Johnson	94	14.7	116	17.3	119	17.6	109	16.0	86	12.3
Laramie	1,093	16.5	1,108	16.1	1,082	15.6	1,075	15.4	1,040	14.6
Lincoln	89	7.8	142	11.7	139	10.8	133	10.0	125	9.2
Natrona	982	14.3	1,034	14.4	1,111	14.6	1,009	13.7	856	12.0
Niobrara	38	13.1	37	12.7	32	10.6	42	13.8	33	10.8
Park	380	17.8	376	17.4	409	18.5	387	17.3	391	17.3
Platte	147	10.4	128	10.7	126	11.4	130	12.7	108	11.0
Sheridan	352	14.4	408	16.3	402	15.9	382	15.3	401	15.8
Sublette	54	12.2	73	16.1	63	13.6	67	14.1	58	12.0
Sweetwater	422	10.3	488	11.7	472	10.5	495	11.3	388	9.5
Teton	349	40.9	394	42.1	456	47.9	428	44.1	413	41.4
Uinta	148	12.2	176	13.5	190	11.3	190	10.4	153	7.7
Washakie	111	12.0	108	11.4	133	13.8	122	12.6	113	11.1
Weston	89	12.8	89	12.5	88	11.3	87	11.6	91	11.7
Yellowstone NP	9	--	13	--	9	--	18	--	14	--

TABLE 29

Marriages by Month
and County of Occurrence
Wyoming, 1983

Occurrence	Total	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec
Wyoming	6,201	335	415	391	431	504	706	659	724	554	475	451	556
Albany	304	14	14	22	25	29	29	41	51	24	22	17	16
Big Horn	101	6	5	4	5	6	14	13	10	7	2	12	17
Campbell	346	19	23	25	31	28	41	34	36	30	30	17	32
Carbon	242	9	10	19	22	14	32	29	25	22	19	16	25
Converse	168	10	18	12	11	18	16	16	19	6	11	15	16
Crook	58	4	4	3	2	6	5	7	6	7	3	4	7
Fremont	399	20	35	21	29	40	37	43	38	35	33	27	41
Goshen	250	15	19	21	16	22	21	20	20	29	22	22	23
Hot Springs	63	5	4	3	3	7	10	9	5	6	4	2	5
Johnson	86	5	11	6	3	9	9	8	11	8	4	5	7
Laramie	1,040	53	80	55	81	85	120	114	115	93	78	83	83
Lincoln	125	9	8	7	9	9	13	16	17	15	4	9	9
Natrona	856	52	43	56	70	57	107	75	107	72	75	59	83
Niobrara	33	4	3	2	-	3	4	4	3	1	2	2	5
Park	391	16	21	31	22	29	44	45	37	40	35	31	40
Platte	108	5	2	8	6	8	15	11	14	5	8	7	19
Sheridan	401	20	32	20	30	38	40	42	41	32	35	33	38
Sublette	58	2	2	3	3	9	8	11	2	4	4	3	7
Sweetwater	388	37	35	29	29	34	38	32	39	33	13	35	34
Teton	413	18	20	18	10	28	60	52	81	47	35	25	19
Uinta	153	2	9	14	14	12	17	12	21	13	17	13	9
Washakie	113	5	13	7	2	6	17	11	14	13	6	7	12
Weston	91	5	3	5	7	5	8	14	7	12	10	7	8
Yellowstone NP	14	-	1	-	1	2	1	-	5	-	3	-	1

TABLE 30

Marriages by Age of Groom
and Age of Bride
Wyoming Occurrence, 1983

Age of Groom	Total	Age of Bride												
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70+
Total	6,201	1	1,261	1,949	1,220	759	426	261	118	93	35	26	32	20
Under 15	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	436	1	363	62	6	3	-	-	1	-	-	-	-	-
20-24	1,908	-	716	948	184	47	8	3	1	1	-	-	-	-
25-29	1,504	-	141	647	491	160	45	15	5	-	-	-	-	-
30-34	936	-	36	213	326	251	88	17	4	1	-	-	-	-
35-39	535	-	3	50	141	173	117	42	5	4	-	-	-	-
40-44	352	-	1	18	52	82	91	85	18	4	1	-	-	-
45-49	206	-	1	7	14	25	49	56	32	16	4	1	1	-
50-54	118	-	-	1	3	14	21	22	20	27	6	1	3	-
55-59	78	-	-	-	3	3	6	13	20	23	5	4	1	-
60-64	56	-	-	1	-	1	1	6	7	13	10	11	5	1
65-69	29	-	-	-	-	-	-	1	3	3	5	5	10	2
70+	43	-	-	2	-	-	-	1	2	1	4	4	12	17

TABLE 31

Marriages by Age and Previous Marital Status of Bride and Groom
Wyoming Occurrence, 1983

Age	Bride					Groom				
	Total	Previous Marital Status				Total	Previous Marital Status			
		Single	Widowed	Divorced	Not Stated		Single	Widowed	Divorced	Not Stated
Total	6,201	3,382	206	2,567	46	6,201	3,528	157	2,477	39
Under 15	1	1	-	-	-	-	-	-	-	-
15-19	1,261	1,218	2	37	4	436	432	-	2	2
20-24	1,949	1,462	8	462	17	1,908	1,709	2	186	11
25-29	1,220	515	24	673	8	1,504	944	6	548	6
30-34	759	136	25	593	5	936	300	8	620	8
35-39	426	30	23	367	6	535	88	8	436	3
40-44	261	6	15	238	2	352	21	10	320	1
45-49	118	4	16	97	1	206	15	14	175	2
50-54	93	8	28	56	1	118	7	21	88	2
55-59	35	-	13	22	-	78	6	19	51	2
60-64	26	2	13	11	-	56	1	22	33	-
65-69	32	-	22	10	-	29	2	20	7	-
70+	20	-	17	1	2	43	3	27	11	2

TABLE 32

Divorces and Annulments with Rates
by County of Occurrence
Wyoming, 1979-1983

Occurrence	1979		1980		1981		1982		1983	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
U.S. Rates	--	5.3	--	5.2	--	5.3	--	5.1	--	5.0
Wyoming	3,510	7.7	4,003	8.5	4,145	8.5	3,961	8.1	3,978	8.2
Albany	164	5.8	217	7.5	217	7.4	186	6.4	190	6.4
Big Horn	53	4.6	88	7.4	71	5.9	63	5.1	69	5.6
Campbell	156	6.9	223	9.2	248	8.1	270	8.7	261	8.5
Carbon	185	9.0	188	8.6	172	8.0	189	9.2	190	10.1
Converse	88	6.3	113	8.0	98	7.0	97	7.3	110	8.9
Crook	20	3.9	24	4.5	22	4.0	20	3.5	15	2.6
Fremont	275	7.3	311	8.0	277	7.1	284	7.3	290	8.0
Goshen	67	5.6	84	7.0	64	5.3	68	5.6	78	6.3
Hot Springs	24	4.3	25	4.4	54	9.5	27	4.7	54	9.3
Johnson	40	6.2	52	7.8	46	6.8	33	4.9	63	9.0
Laramie	697	10.5	645	9.4	756	10.9	653	9.3	689	9.7
Lincoln	66	5.8	70	5.7	85	6.6	91	6.9	86	6.3
Natrona	760	11.1	861	12.0	863	11.4	845	11.5	772	10.8
Niobrara	8	2.8	17	5.8	9	3.0	22	7.2	8	2.6
Park	139	6.5	137	6.3	157	7.1	153	6.8	144	6.4
Platte	59	4.2	108	9.0	90	8.2	78	7.6	68	6.9
Sheridan	202	8.3	202	8.1	209	8.3	187	7.5	205	8.1
Sublette	31	7.0	21	4.6	23	5.0	30	6.3	16	3.3
Sweetwater	252	6.1	323	7.7	372	8.3	329	7.5	312	7.6
Teton	67	7.8	81	8.7	85	8.9	86	8.9	68	6.8
Uinta	67	5.5	95	7.3	116	6.9	137	7.5	161	8.1
Washakie	55	6.0	65	7.8	66	6.8	62	6.4	76	7.5
Weston	35	5.0	53	7.5	45	5.8	51	6.8	53	6.8

TABLE 33

Divorces and Annulments by Duration of Marriage and County of Occurrence
Wyoming, 1983

Occurrence	Total	Duration in Years											
		Under 1	1	2	3	4	5-9	10-14	15-19	20-24	25-29	30 & Over	Not Stated
Wyoming	3,978	330	502	445	411	315	1,016	470	224	121	64	71	9
Albany	190	16	22	18	22	13	51	20	8	8	4	7	1
Big Horn	69	8	13	8	3	2	17	8	6	-	2	2	-
Campbell	261	19	24	30	28	20	76	31	17	a	3	4	-
Carbon	190	6	29	14	25	14	61	19	10	7	2	2	1
Converse	110	9	12	18	6	3	33	11	11	3	3	-	1
Crook	15	-	2	2	2	1	3	2	-	1	1	1	-
Fremont	290	27	27	32	34	25	71	30	23	9	4	6	2
Goshen	78	7	5	9	8	6	22	6	5	1	5	4	-
Hot Springs	54	6	4	9	4	4	15	6	3	-	1	2	-
Johnson	63	2	8	9	7	3	11	12	8	2	1	-	-
Laramie	689	74	90	77	72	52	182	67	29	18	10	17	1
Lincoln	86	9	13	12	11	6	12	14	6	2	-	1	-
Natrona	772	64	92	88	88	77	190	93	40	24	5	9	2
Niobrara	8	-	1	-	-	-	3	1	-	1	1	1	-
Park	144	14	20	20	9	12	36	20	4	7	-	1	1
Platte	68	5	10	11	3	4	16	7	7	1	2	2	-
Sheridan	205	17	34	20	18	10	44	30	11	10	7	4	-
Sublette	16	-	1	1	4	2	3	2	1	2	-	-	-
Sweetwater	312	22	43	24	38	31	81	43	15	5	5	5	-
Teton	68	2	12	5	8	8	15	9	4	2	2	1	-
Uinta	161	12	24	22	12	14	38	22	9	4	3	1	-
Washakie	76	5	10	11	6	3	18	12	4	3	3	1	-
Weston	53	6	6	5	3	5	18	5	3	2	-	-	-

TABLE 34

Divorces and Annulments by Number of Children Affected and County of Occurrence
Wyoming, 1983

Occurrence	Total	Number of Children*						
		None	One	Two	Three	Four	Five & Over	Not Stated
Wyoming	3,978	1,677	1,032	849	273	60	22	65
Albany	190	81	59	37	12	-	1	-
Big Horn	69	15	11	13	13	1	1	15
Campbell	261	96	74	55	25	7	2	2
Carbon	190	81	51	38	15	1	3	1
Converse	110	44	20	27	4	7	1	7
Crook	15	8	4	2	1	-	-	-
Fremont	290	110	74	68	25	7	2	4
Goshen	78	37	21	13	5	1	-	1
Hot Springs	54	24	14	11	3	1	1	-
Johnson	63	20	19	16	4	4	-	-
Laramie	689	333	180	132	35	6	2	1
Lincoln	86	39	22	18	4	2	-	1
Natrona	772	340	196	184	37	10	2	3
Niobrara	8	3	2	3	-	-	-	-
Park	144	68	39	25	9	2	-	1
Platte	68	22	14	14	10	-	-	8
Sheridan	205	82	59	43	15	3	-	3
Sublette	16	7	5	3	-	1	-	-
Sweetwater	312	109	85	71	31	2	4	10
Teton	68	44	11	9	2	-	-	2
Uinta	161	67	39	34	11	3	2	5
Washakie	76	25	21	20	8	1	-	1
Weston	53	22	12	13	4	1	1	-

*Children under 18 in the family.